51843 | A

TOWNSEND, J
C

Digitized by the Internet Archive
in 2015

https://archive.org/details/b22028821

THE

PHYSICIAN'S VADE MECUM;

BEING

A COMPENDIUM

OF

NOSOLOGY AND THERAPEUTICS,

FOR THE

USE OF STUDENTS.

BY THE REV. JOSEPH TOWNSEND,
RECTOR OF PEWSEY, WILTS.

Sublata causa tollitur effectus.

TENTH EDITION.

London:

PRINTED FOR H. D. SYMONDS, PATERNOSTER-ROW;
E. Cox, St. Thomas's-street, Borough; Murray, Fleet-street;
Archer, Dublin; and Bell and Bradfute, Edinburgh.

1807.

WELLCOME
LIBRARY
INSTITUTE

32,0630

Printed by C. Squire,
Furnival's-Inn-Court, Holborn.

PREFACE.

In this Compendium of Nosology, I have, as far as possible, confined myself to the system and the genera of my venerable master Dr. Cullen, whose memory and justly acquired reputation will be ever dear to those who studied in his school, and were honoured with his friendship. Of all the systems which have yet appeared, his for a practitioner is undoubtedly the best: yet in some few instances I have departed from him; but it has been chiefly where he hesitates himself. My reasons for these variations, as requiring disquisitions ill suited to a Compendium, I must here omit. These will be found in my "Elements of Therapeutics."

The utility of classical distinctions is almost universally acknowledged; yet nothing is more difficult than to make such an arrangement as shall meet with universal approbation. It will, however, be acknowledged sufficient for every useful purpose, if we can with percision ascertain the name and nature of a disease, although we should not perfectly agree as to its proper place in a system of Nosology. Having once formed his diagnosis, the skilful practitioner will next proceed to investigate, where it is possible, the proximate cause of the disease; and where that is not to be discovered, he will pay particular attention both to the occasional and to the predisposing cause. In all these investigations the younger students will, I trust, receive some assistance from the Compendium now presented to the public; and with a moderate

share of penetration will be enabled, in most cases, to determine what are the most judicious indications to effect a cure.

For the Compendium of Therapeutics I have been indebted principally to Drs. Duncan, Whytte, Cullen, Elliot, Berkenhout; and for some of the most efficacious formula, I must acknowledge my obligations to the late Dr. NANKIVEL, *and to Dr.* THORNTON, *whose fame is too well established in our metropolis to need any eulogium from my pen.*

Should this little work meet with acceptance among either the students in our hospitals, or the medical practitioners in country villages, I shall think myself well rewarded for my trouble.

In addition to the hints, above conveyed, on the utility of Classical Distinctions, I have one caution more to offer, as the result of deep study, attentive observation, extensive practice, and the experience of near half a century.

Let the young practitioner, in all cases, ascertain, not merely the Class, Order, and Genus of the Disease submitted to his care, but the SPECIES; *because on this principally his Indications must be formed. For unless he can ascertain the* SPECIES, *he will prescribe to the name of a disease, not to the disease itself; and should he be so fortunate as to effect a cure, he will be indebted to chance, and not to skill.*

I have frequently had occasion to lament

the inattention of eminent practitioners to this caution, not merely among the poor, but in the higher walks of life. And to this inattention must be attributed their frequent failures in cases, which attentive physicians of inferior talents might have cured.

To elucidate my meaning, I shall fix on two diseases—Phthisis and Epilepsia. Of the latter, nine species may be distinguished, of the former eight; all requiring a difference of treatment. Now, even to the most ignorant on medical subjects, it must be clear, that in every disease it is of the last importance to remove the cause; and that, to accomplish this, it must first be known.

The causes of disease have very properly been distinguished into remote and proximate;

the latter often difficult to be ascertained, the former easily discerned. These being removed, health will be restored.

The remote causes are predisponent and occasional. Now, in different parts of Europe, I have frequently observed physicians unsuccessful in their practice, merely because they had overlooked the occasional Cause, or because they had paid no attention to the Species, as distinguished by our best Nosologists, Sauvage and Cullen.

It is for this reason that I have here repeated a caution, which I gave in the first edition of my Vade Mecum, and have endeavoured to enforce in my larger work, the "Elements of Therapeutics."

Pewsey, 1st Jan. 1807.

PART I.

A

COMPENDIUM

OF

NOSOLOGY.

THE

CLASSES, ORDERS, GENERA,

AND

SPECIES OF DISEASE.

CLASSES,

WITH CHARACTERISTIC SYMPTOMS.

CLASS	
I. PYREXIÆ	After cold shivering, a frequency of pulse, with increase of heat, and thirst.
II. NEUROSES	Affections of sense and motion, disturbed; without either idiopathic pyrexia, or topical disease.
III. CACHEXIÆ	A depraved habit of body; without pyrexia, and independent of neurosis, as original disease.
IV. LOCALES	Morbid affections, which are partial.

ORDERS,

DISTINGUISHED BY THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDERS.

I. *Febres* - - - - Pyrexia, with loss of appetite and strength; but no primary local affection.

II. *Phlegmasiæ* - Pyrexia, with topical pain and inflammation. The blood after venesection exhibits the buff coat.

III. *Exanthemata* Contagious diseases, beginning with fever, and followed by an eruption on the skin.

IV. *Hæmorrhagiæ* Pyrexia, with a discharge of blood, without any external injury, the blood on venesection exhibiting the buff coat.

V. *Profluvia* - - Pyrexia, with increased excretions.

CLASS II. NEUROSES.

I. *Comata* - - - A diminution of the powers of voluntary motion, with sleep, or the senses impaired.

ORDERS.

II. *Adynamiæ* - - A diminution of the involuntary motions of either vital or natural functions.

III. *Spasmi* - - - A morbid contraction, or motion of muscular fibres.

IV. *Vesaniæ* - - - The judgment impaired, without either coma, or pyrexia.

CLASS III. CACHEXIÆ.

I. *Marcores* - - Universal emaciation.

II. *Intumescentiæ* General swellings.

III. *Impetigines* - Cachexia, deforming the external parts of the body with tumours, eruptions, &c.

CLASS IV. LOCALES.

I. *Dysæthesiæ* - The senses injured, or destroyed, by the imperfection of the organs.

II. *Dysorexia* - - The appetite deficient, or depraved.

ORDERS.

III. *Dyscinesiæ*	Motion impeded, or depraved, from an imperfection of the organ.
IV. *Apocenoses*	A superabundant flux of blood, or humours, without pyrexia.
V. *Epischeses*	A suppression of excretions.
VI. *Tumores*	Partial swellings, without inflammation.
VII. *Ectopiæ*	Parts displaced.
VIII. *Dialyses*	A solution of continuity.

GENERA,

AND THEIR SYMPTOMS.

CLASS I. PYREXIÆ.

ORDER I. FEBRES.

GENERA.

1. *Intermittens* - - { Cold, hot, and sweating stages, in succession, attend each paroxism, and are followed by an intermission, or remission.

SPECIES.

1. *quotidiana.*
2. *tertiana.*
3. *quartana.*

2. *Continua* - - - { No intermission, yet subject to exacerbations twice in one day.

SPECIES.

1. *Synocha.* Heat increased; pulse frequent, strong, hard; urine high coloured; senses not much impaired.
2. *Typhus.* Contagious. Heat moderate; pulse quick, weak, small; urine, little changed; senses much impaired; prostration of strength.

VARIETIES.

1. *petechialis.*
2. *mitior.*
3. *gravior.*
4. *icterodes.*

GENERA.

3. *Hectica* - - - - Exacerbations at noon, but chiefly in the evening, with slight remissions in the morning, after nocturnal sweats; the urine depositing a furfuraceo-lateritious sediment; appetite good; thirst moderate.

This fever is symptomatic of

1. Chlorosis.
2. Schrophula.
3. Nephralgia.
4. Phthisis.
5. Tabes, &c.

It is occasioned frequently by worms.

CLASS I. PYREXIÆ.

ORDER II. PHLEGMASIÆ.

GENERA.

4. *Phlogosis* - - - { Redness; heat; pain; and tumour on the surface of the body.

SPECIES.

1. *Phlegmone.* Inflammation of a bright red colour; tumour pointed, throbbing, and tending to suppuration.
2. *Erythema.* Inflammation of a dull red colour, vanishing upon pressure, spreading unequally, with a burning pain, and tumour scarcely perceptible, ending in desquamation, or vesicles of the skin.

The phlogosis often terminates in

1. *Impostume.*
2. *Gangrene.*
3. *Sphacelus.*

5. *Ophthalmia* - - { Redness and pain of the eye; intolerance of light; with effusion of tears.

SPECIES.

1. *Ophthalmia Membranarum.* Inflammation in the coats of the eye, most commonly in the tunica conjunctiva.

SPECIES.

2. *Ophthalmia Tarsi.* Small ulcers in the sebaceous glands of the tarsus, discharging a glutinous matter.

GENERA.

6. *Phrenitis* - - - { Strong fever; violent headach; redness of face and eyes; impatience of light; and noise; watchfulness; and furious delirium.

SYMPTOMATIC.

1. exanthematica.
2. verminosa.
3. aphrodisiaca.
4. hydrophobica.
5. traumatica.
6. a dolore.

7. *Cynanche* - - - { Pain and redness of the fauces; deglutition, and respiration, difficult.

SPECIES.

1. *Tonsillaris*, affecting the mucous membrane of the fauces, but more especially the tonsils.

2. *Maligna*, deglutition less difficult; a mucous crust of a whitish or ash-colour covers the tonsils and mucous membrane of the fauces, which are affected with spreading ulcers. These

SPECIES.

symptoms are accompanied with typhus, and followed by exanthemata.

3. *Trachealis.* Respiration difficult; inspiration accompanied with a wheezing, and the cough occasioning a shrill ringing sound; no apparent tumour in the fauces.

4. *Pharyngæa.*

5. *Parotidæa.*

SYMPTOMATIC.

1. exanthematica.
2. arthritica.
3. hepatica.

GENERA.

8. *Pneumonia* - - - { Pyrexia; difficult respiration; cough; and pain in the thorax.

SPECIES.

1. *Peripneumonia.* The pulse not always hard, but sometimes soft; an obtuse pain in the breast; the respiration always difficult; sometimes the patient cannot breathe unless in an upright posture; the face swelled, and of a livid colour; the cough for the most part moist, frequently bloody.

2. *Pleuritis.* The pulse hard; a pungent pain in one side, aggravated during

the time of inspiration; an uneasiness when lying on one side; a most painful cough, dry in the beginning of the disease, afterwards moist, and frequently bloody.

These, if not resolved, are followed by

Vomica. Hectic; difficult respiration; cough; pain when lying on the sound side.

Empyema. The above symptoms, with remission of pain, and signs of hydrothorax.

9. *Carditis* - - - { Pyrexia; pain in the region of the heart; anxiety; difficult breathing; cough; irregular pulse; palpitation; fainting.

10. *Peritonitis* - - { Pyrexia; pain in the abdomen, increased when erect.

11. *Gastritis* - - - { Pyrexia; anxiety; heat and pain in the epigastrium, increased when any thing is taken into the stomach; vomiting; hickup; pulse small and hard; prostration of strength.

SPECIES.

1. *phlegmonodea.*
2. *erysipelatosa*, with milder symptoms.

GENERA.

12. *Enteritis* - - - { Pyrexia; fixed pain in the abdomen; costiveness; vomiting.

13. *Hepatitis* - - - { Pyrexia; tension and pain, more or less acute, in the right hypochondrium, usually referred to the top of the right shoulder, and extending to the clavicle, increased by lying on the left side; urine high coloured.

14. *Splenitis* - - - { Pyrexia; tension, heat, tumour, and pain in the left hypochondrium, increased by pressure.

15. *Nephritis* - - - { Pyrexia; pain in the region of the kidneys, and shooting along the course of the ureter; drawing up of the testicle; numbness of the thigh; vomiting; urine high coloured; costiveness, and colic pains.

SYMPTOMATIC.

1. calculosa.
2. arthritica.
3. purulenta.

GENERA.

16. *Cystitis* - - - Pyrexia; tumour and pain in the hypogastrium; frequent and painful discharge of urine; tenesmus.

17. *Hysteritis* - - Pyrexia; heat, tension, tumour, and pain in the hypogastrium; pain in the os uteri, when touched; vomiting.

18. *Rheumatismus* Pyrexia; pains in the joints, increased by the action of the muscles belonging to the joint; heat on the part. The blood after venesection exhibits an inflammatory crust.

This disease terminates in

Arthrodynia, pain in the joints without pyrexia.

19. *Odontalgia* - - Tooth-ach.

GENERA.

20. *Podagra* - - - Pyrexia; pain in the joints, chiefly of the great toe, and especially of the hands and feet, returning at intervals: previous to the attack, the functions of the stomach are commonly disturbed.

SPECIES.

1. *regularis.*
2. *atonica.*
3. *retrogada.*
4. *aberrans.*

21. *Arthropuosis* - Pain of the joints, or muscles, often after contusion, deep, blunt, of long continuance; little or no tumour; no inflammation; pyrexia slight at first, at last hectic; and finally terminating in abscess.

CLASS I. PYREXIÆ.

ORDER III. EXANTHEMATA.

GENERA.

22. *Erysipelas* - - { Synocha of two or three days continuance, with drowsiness most often, sometimes with delirium; pulse commonly full and hard; then *Erythema* in the face, with continuance of synocha; tending to either apoplexy, or to abscess.

SPECIES.

1. *versiculosum.*
2. *phlyctaenodes.*

23. *Pestis* - - - - { Typhus, contagious in the extreme; prostration of strength; buboes and carbuncles; petechiæ, hemorrhage, and colliquative diarrhœa.

24. *Variola* - - - - { Synocha; eruption of red pimples the third day, which on the eighth contain pus, and dying, fall off in crusts.

SPECIES.

1. *discreta.*
2. *confluens.*

GENERA.

25. *Varicella* - - - Moderate synocha; pimples bearing some resemblance to *variola*, quickly forming pustules, which contain a fluid matter, and after three or four days from their first appearance desquamate, leaving no cicatrix.

26. *Rubeola* - - - Synocha; hoarseness; dry cough; sneezing; drowsiness; about the fourth day eruption of small red points, discernible by the touch, which, after three days, end in mealy desquamation. Blood, after venæsection, exhibits inflammatory crust.

GENERA.

27. *Miliaria* - - - Synochus; cold stage considerable; hot stage attended with anxiety and frequent sighing; sweat of a strong and peculiar smell; eruption, preceding by a sense of pricking, first on the neck and breast, of small red pimples, which in two days become white pustules, desquamate, and are succeeded by fresh pimples.

28. *Scarlatina* - - Contagious synocha; 4th day face swells, and a scarlet eruption appears on the skin in patches; which, after three or four days, ends in desquamation of the cuticle, or is succeeded by anasarca.

SPECIES.

1. *simplex* without cynanche.
2. *cynanchica.*

CLASS I. PYREXIÆ.

ORDER IV. HÆMORRHAGIÆ.

GENERA.

29. *Epistaxis* - - - Bleeding at the nose, with pain, or fulness of the head.

30. *Hæmoptysis* - - Coughing up of florid, or frothy blood; heat or pain in the chest; irritation in the larynx; saltish taste.

SPECIES.

1. *plethorica.*
2. *violenta.*
3. *phthisica.*
4. *calculosa.*
5. *vicaria.*

31. *Phthsis* - - - - Emaciation; debility; cough; hectic; purulent expectoration; hæmoptysis; diarrhœa. *V.* Tussis.

SPECIES.

1. *hæmoptoica.*
2. *exanthematica.*
3. *chlorotica.*
4. *scrophulosa.*
5. *syphilitica.*
6. *stomachalis.*
7. *verminosa.*
8. *catarrhalis.*

GENERA.

32. *Hæmorrhois* - - { Flux of blood from the anus; pain there, and hæmorrhoids; vertigo; pain in the loins and headach.

33. *Menorrhagia* - { A too copious menstrual flux.

SPECIES.

1. *rubra.*
2. *abortus.*
3. *lochialis.*
4. *vitiorum.*
5. *alba.*

CLASS I. PYREXIÆ.

ORDER V. PROFLUVIA.

34. *Catarrhus* - - - { Increased excretion of mucus from the membranes of the nose, fauces, and bronchiæ, with pyrexia, and attended by cough, thirst, lassitude, and want of appetite.

SPECIES.

1. *a frigore.*
2. *a contagio.*

SYMPTOMATIC.

1. tussis exanthematica.
2. verminosa.
3. a dentitione.
4. arthritica.
5. stomachalis.

GENERA.

35. *Dysenteria* - - Contagious pyrexia; frequent griping stools; tenesmus; stools chiefly mucus, sometimes mixed with blood, the natural fæces being retained or voided in a hardened state; loss of appetite and nausea, arising from spasmodic constriction of the colon retaining hardened fæces.

CLASS II. NEUROSES.

ORDER I. COMATA.

36. *Apoplexia* - - - Abolition, in some degree, of the powers of sense and motion, with sleep, and sometimes snoring, the respiration, and motion of the heart, remaining.

SPECIES.

1. *sanguinea.*
2. *serosa.*
3. *hydrocephalica.* In early youth, lassitude, febricula, pain in the head, then a more sluggish pulse, dilated pupils, drowsiness, and apoplexia. The sutures of the cranium open.
4. *atrabilaria.*
5. *traumatica.*
6. *venenata.*
7. *mentalis.*
8. *cataleptica.*
9. *suffocata.*

SYMPTOMATIC.

1. exanthematica.
2. arthritica.
3. verminosa. Carus, cataphora, coma, and lethargus, are degrees only of apoplexy.

GENERA.

37. *Paralysis* - - - { A loss of the power of voluntary motion affecting certain parts.

SPECIES.

1. *partialis.*
2. *hemiplegica.*
3. *paraplegica.*
4. *venenata.*

SYMPTOMATIC.

1. exanthematica.
2. arthritica.
3. verminosa.
4. scrophulosa.
5. syphilitica.
6. traumatica.

CLASS II. NEUROSES.

ORDER II. ADYNAMIÆ.

GENERA.

38. *Syncope* - - - The respiration, and action of the heart, either cease, or become much weaker than usual, with paleness and coldness, arising from diminished energy of the brain, or from organic affections of the heart.

SPECIES.

1. *cardiaca*, returning without a visible cause, and with violent palpitation of the heart during the intervals.
2. *cerebralis*, from passions such as horror, anger, joy, &c.; deficiency of blood, extreme pain, &c.
3. *Pulmonea.*

GENERA.

39. *Dyspepsia* - - - Want of appetite; nausea; vomiting; flatulence; heart-burn; costiveness; and pain in the stomach; with other symptoms of debility in the organ of digestion.

SYMPTOMATIC.

1. schirrosa.
2. ulcerosa.
3. a veneno.
4. verminosa.
5. chlorotica.
6. gravidarum.
7. arthritica.
8. nephritica.
9. aphrodisiaca.

40. *Hypochondriasis* Dyspepsia; languor and want of energy; dejection of mind and apprehension of evil, more especially respecting health, without sufficient cause; with a melancholic temperament.

CLASS II. NEUROSES.

ORDER III. SPASMI.

In the Animal Functions.

GENERA.

41. *Tetanus* - - - - { Spasmodic rigidity of almost the whole body.

VARIETIES ARE,

1. *opisthotonos*,
2. *emprosthotonos*, and
3. *Trismus*, or locked-jaw.

SYMPTOMATIC.

1. syphiliticus.
2. verminosus.

42. *Convulsio* - - - { Alternate relaxations, with violent and involuntary contractions of the moving fibres, without sleep.

43. *Chorea* - - - - { Convulsive motions of the limbs or trunk.

44. *Raphania* - - - { A spasmodic contraction of the joints with convulsive motions and most violent pain: periodical.

GENERA.

45. *Epilepsia* - - - { Convulsions with sleep, and usually froth issuing from the mouth.

SPECIES.

1. *traumatica*
2. *a dolore.*
3. *verminosa.*
4. *a veneno.*
5. *exanthematica.*
6. *a cruditate ventriculi.*
7. *ab inanitione.*
8. *uterina.*
9. *ex onanismo.*

In the Vital Functions.

46. *Palpitatio* - - - { A palpitation of the heart, either constant or frequently returning.

SPECIES.

1. *Organica.*
2. *arthritica.*
3. *chlorotica.*
4. *hysterica.*
5. *melancholica.*

GENERA.

47. *Asthma* - - - - Difficult respiration returning at intervals, with a sense of stricture across the breast and in the lungs; a wheezing; hard cough at first, but more free towards the close of every paroxism, with a discharge of mucus, followed by a remission.

SPECIES.

1. *spontaneum.*
2. *exanthematicum.*
3. *plethoricum.*
4. *arthriticum.*
5. *venereum.*
6. *hystericum.*
7. *hypochondriacum.*
8. *catarrhale.*
9. *stomachicum.*
10. *a polypo cordis.*

18. *Dyspnoea* - - - Difficult respiration, continual, and without sense of stricture. Cough frequent through the whole course of the disease.

SPECIES.

1. *catarrhalis.*
2. *aquosa.*
3. *pinguedinosa.*
4. *aëria.*

GENERA.

49. *Pertussis* - - - { Convulsive, strangulating cough, with hooping relieved by vomiting; contagious.

In the Natural Functions.

50. *Pyrosis* - - - - { Heartburn, with copious eructation, generally of a watery insipid fluid.

51. *Colica* - - - - - { Pain in the lower belly, and twisting round the navel; vomiting; costiveness.

SPECIES.

1. *spasmodica.*
2. *pictonum*, ending in palsy.
3. *stercorea.*
4. *verminosa.*
5. *accidentalis.*
6. *calculosa.*
7. *callosa.*

GENERA.

52. *Cholera* - - - - A purging and vomiting of bile; anxiety; painful gripings; spasms of the abdominal muscles, and those of the thighs.

53. *Diarrhœa* - - - Frequent liquid stools with the natural excrement, but not contagious, and seldom attended with pyrexia.

SPECIES.

1. *crapulosa.*
2. *biliosa.*
3. *mucosa.*
4. *cœliaca.*
5. *lienteria.*
6. *hepatirrhœa.*
7. *verminosa.*

54. *Diabetes* - - - A superabundant discharge of urine, which is limpid, and sweetish to the taste.

SYMPTOMATIC.

1. hystericus.
2. arthriticus.

GENERA.

55. *Hysteria* - - - A grumbling noise in the belly; a ball ascending to the throat, with a sense of suffocation; stupor; insensibility and convulsions; involuntary laughing and crying; sleep interrupted by sighs; urine limpid and abundant, previous to the fit; great sensibility and irritability of mind.

SPECIES.

1. *chlorotica.*
2. *a menorrhagia.*
3. *a leucorrhœa.*
4. *libidinosa.*

56. *Hydrophobia* - A dread of water, as inducing painful convulsions of the pharynx.

CLASS II. NEUROSES.

ORDER IV. VESANIÆ.

GENERA.

57. *Amentia* - - - Imbecility of intellect, by which the relations of things are either not perceived, or not recollected.

58. *Melancholia* - - Erroneous judgment, but not merely respecting health, from imaginary perceptions, or recollections, influencing the conduct, and depressing the mind with ill-grounded fears; not combined with either pyrexia or comatose affections; often appearing without dyspepsia, yet attended with costiveness, chiefly in persons of rigid fibres and torpid sensibility.

59. *Insania* - - - - Erroneous judgment from imaginary perceptions, or recollections, attended with agreeable emotions in persons of a sanguine temperament. Vide *Cullen's Practice*, §. 1581.

GENERA.

60. *Mania* - - - - A conception of false relations, and an erroneous judgment, arising from imaginary perceptions or recollections, exciting the passions, and producing unreasonable actions or emotion, with a hurry of mind in pursuing a train of thought, and in running from one train of thought to another, attended with incoherent and absurd speech, called raving, and violent impatience of either contradiction, or restraint

SPECIES.

1. *melancholica.*
2. *phrenitoides.*
3. *hysterica.*

61. *Oneirodynia* - - Disturbed imagination during sleep.

SPECIES.

1. *gravans.* The incubus or night-mare.
   Ephialtes of Sauvage.
   a. plethorica.
   b. stomachica.
   c. verminosa.

d. tertianaria.
e. hypochondriaca.
f. ex hydrocephalo.

2. *activa.* *Somnambulismus of Sauvage.*

CLASS III. CACHEXIÆ.

ORDER I. MARCORES.

GENERA.

62. *Tabes* - - - - { Emaciation; weakness; hectic.

SPECIES.

1. *famelicarum.*
2. *dyspeptica.*
3. *hypochondriaca.*
4. *purulenta.*
5. *scrophulosa.*
6. *venenata.*
7. *inanitorum.*
8. *senilis.*

63. *Atrophia* - - - { Emaciation; weakness, but without hectic.

SPECIES.

1. *inanitorum.*
2. *famelicorum.*
3. *cacochymica.*
4. *debilium.*
5. *senilis.*

CLASS III. CACHEXIÆ.

ORDER II. INTUMESCENTIÆ.

Adipose.

GENERA.

64. *Polysarcia* - - Troublesome obesity.

Flatulent.

65. *Pneumatosis* - { Air collected in the cellular texture under the skin, rendering it tense, elastic, and crepitating.

SPECIES.

1. *spontanea.*
2. *traumatica.*
3. *venenata.*
4. *hysterica.*

66. *Tympanites* - - { Elastic distention of the abdomen, not readily yielding to pressure, and sounding like a drum, with costiveness and atrophy; but no fluctuation.

SPECIES.

1. *intestinalis*, with discharge of wind giving relief.
2. *abdominalis*, without such relief.

GENERA.

67. *Physometra* - - { A permanent elastic swelling in the hypogastrium from flatulent distention of the womb.

Aqueous.

68. *Anasarca* - - - { Swelling on the surface of the body; not elastic; pitting by the pressure of the finger; and rising slowly to its former fulness.

SPECIES.

1. *serosa.*
2. *exanthematica.*
3. *a compressione.*
4. *debilium.*

69. *Hydrocephalus* { External swelling of the head, soft, not elastic.

The *internal hydrocephalus* has been described already as the third species of *Apoplexia.*

70. *Hydrorachitis* { Tumor in new-born infants on the lumbar vertebræ, soft, and small.

GENERA.

71. *Hydrothorax* - Dyspnoea; paleness of face; œdematous swelling of the feet; scarcity of urine; impatience of an horizontal position, with sudden starting from sleep, and palpitation; fluctuation of water in the chest.

72. *Ascites* - - - - Swelling of the abdomen, tense, and scarcely elastic; with fluctuation.

SPECIES.

1. *abdominalis.*
2. *saccatus.*

73. *Hydrometra* - - A swelling in the hypogastrium of females not pregnant; with fluctuation; no suppression of urine.

74. *Hydrocele* - - - A soft tumour of the scrotum, increasing slowly, without pain, fluctuating, generally pellucid.

Of the Solids.

75. *Physconia* - - - Tumour occupying chiefly one part of the abdomen, increasing slowly, and neither sonorous nor fluctuating.

SPECIES.

1. *hepatica.*
2. *splenica.*
3. *renalis.*
4. *uterina.*
5. *ab ovario.*
6. *mensenterica.*
7. *omentalis.*
8. *visceralis.*

GENERA.

76. *Rachitis* - - - - { Large head; prominent forehead; protruded sternum; flattened ribs; big belly; emaciated limbs, with great debility.

CLASS III. CACHEXIÆ.

ORDER III. IMPETIGINES.

77. *Scrophula* - - - { Swelled lymphatic glands; thick upper lip; obstinate ulcers; ophthalmia tarsi; indolent tumours on the joints; fair complexion; irritable habit.

GENERA.	
78. *Syphylis* - - -	A disease arising from impure connection, and appearing generally after a local affection of the organs, occasioning chancres; buboes; ulcers in the mouth and nose; clustered pimples of a copper colour, ending in scabby ulcers, chiefly situated near the hairy scalp; blotches on the surface of the body; nocturnal pain in the bones; nodes, &c.
79. *Scorbutus* - - -	Extreme debility; complexion pale and bloated; spungy gums; livid spots on the skin; breath offensive; œdematous swellings in the legs; hæmorrhages; foul ulcers; urine fœtid; stools extremely offensive.

GENERA.	
80. *Elephantiasis*	Skin thick, rough, wrinkly, unctuous, and void of hair; face deformed, with tubera; voice hoarse and sounding through the nose; want of feeling in the extremities.—It is contagious.
81. *Lepra*	The skin rough and chopped, with white furfuraceous scales and crusts, under which is frequently a moisture, with itching.
82. *Frambœsia*	Fungi, like mulberries, growing out of the skin in various parts of the body, and discharging ichor; infectious. Called *Yaws*.
83. *Trichoma*	The hair grows coarse and twisted into inextricable tangles. It is contagious. Called the *Plica Polonica*.
84. *Icterus*	Yellowness of the skin and eyes; fæces white; urine of a high colour, and tinges linen yellow.

SPECIES.

1. *calculosus*, acute pain in the epigastric region, increasing after eating: gall stones pass by stool.
2. *spasmodicus*, without pain, after spasmodic diseases and passions of the mind.
3. *mucosus*, without either pain, gall-stones, or spasm, and relieved by the discharge of tough phlegm by stool.
4. *hepaticus*.
5. *gravidarum*.
6. *infantum*.

GENERA.

85. *Chlorosis* - - - { Dyspepsia; livid paleness; great debility; palpitation; depraved appetite, with *amenorrhœa*.

CLASS IV. LOCALES.

ORDER I. DYSÆSTHESIÆ.

86. *Caligo* - - - - - { Sight diminished, or destroyed, by the interposition of a dark body, between the object and the retina.

SPECIES.

1. *lentis.*
2. *cornæa.*
3. *pupillæ.*
4. *humorum.*
5. *palpebrarum.*

GENERA.

87. *Amaurosis* - - - { Sight diminished, or destroyed, without any visible injury of the eye: the pupil mostly dilated and immoveable.

SPECIES.

1. *sanguinea.*
2. *serosa.*
3. *spasmodica.*
4. *organica.*

88. *Dysopia* - - - - { Sight depraved, requiring one certain quantity of light, one particular distance, or one position.

SPECIES.

1. *tenebrarum.*
2. *luminis.*
3. *dissitorum.*
4. *proximorum.*
5. *lateralis.*

GENERA.

89. *Pseudoblepsis* - { Sight depraved, creating objects, or representing them different from what they are.

SPECIES.

1. *imaginaria.*
2. *mutans.*

90. *Dyscœa* - - - - { Hearing diminished or destroyed.

SPECIES.

1. *organica*, from wax in the *meatus*, injuries of the *membrana*, or inflammation and obstruction of the *tuba*.
2. *atonica*, without any discernible injury of the organ.

91 *Paracusis* - - - Hearing depraved.

SPECIES.

1. *imperfecta.*
2. *imaginaria.*

92. *Anosmia* - - - - { Smell diminished, or destroyed.

SPECIES.

1. *catarrhalis.*
2. *ab ozæna.*
3. *a polypo.*
4. *syphilitica.*
5. *verminosa.*
6. *a siccitate.*
7. *paralytica.*

GENERA.

93. *Ageustia* - - - { Taste diminished, or destroyed.

94. *Anœthesia* - - { Touch diminished, or destroyed.

CLASS IV. LOCALES.

ORDER II. DYSOREXIÆ.

95. *Bulimia* - - - - { Appetite voracious or canine.

SYMPTOMATIC.

1. verminosa.
2. a rachitide.
3. ab acidis.

96. *Pica* - - - - - - { Appetite depraved, or a strong desire of unnatural food.

SPECIES.

1. *infantilis.*
2. *chlorotica.*
3. *gravidarum.*
4. *medicatrix.*

97. *Polydipsia* - - - Excessive thirst.

SYMPTOMATIC.

1. febrilis.
2. hydropica.
3. fluxuum.
4. a venenis.

GENERA.

98. *Satyriasis* - - - { Excessive and violent desire in men.

99. *Nymphomania.* The same in women.

100. *Nostalgia* - - { Impatience when absent from one's native home, and vehement longing to return, attended with gloom and melancholy, loss of appetite, and want of sleep.

101. *Anorexia* - - - Appetite impaired.

This is merely symptomatic.

102. *Anaphrodisia* Impotence.

SPECIES.

1. *paralytica.*
2. *gonorrhoica.*

CLASS IV. LOCALES.

ORDER III. DYSCINESIÆ.

GENERA

103. *Aphonia* - - - { Suppression of the voice, without either syncope, or coma.

SPECIES.

1. *gutturalis.*
2. *trachealis.*
3. *atonica.*

104. *Mutitas* - - - Dumbness.

SPECIES.

1. *organica.*
2. *atonica.*
3. *surdorum.*

105. *Paraphonia* - Depravation of voice.

106 *Pselitismus* - - { Vitiated articulation of the voice.

107. *Strabismus* - - Squinting.

108. *Contractura* - { A rigid contraction of a joint.

SPECIES.

1. *ab inflammatione.*
2. *spasmo.*
3. *ob antagonistas paryliticos.*
4. *ab acrimonia irritante.*
5. *articularis.*

CLASS IV. LOCALES.

ORDER IV. APOCENOSES.

GENERA.

109. *Profusio* - - - Loss of blood.

110. *Ephidrosis* - - { Violent and morbid sweating.

SPECIES.

1. *febrilis*, critical and salutary.
2. *febricosa*, injurious.
3. *hectica*.
4. *exanthematum*.
5. *syncoptica*.
6. *scorbutica*.
7. *a saburra*.
8. *lactea*.
9. *mellea*.
10. *vinosa*.
11. *viridis*.
12. *nigra*.
13. *lutea*.
14. *urinosa*.
15. *cruenta*, &c. &c.

111. *Epiphora* - - Flux of tears.

SPECIES.

1. *apathemate*.
2. *ophthalmica*.
3. *calida*.

4. *frigida.*
5. *arthritica.*
6. *ab ectropio.*
7. *ex rhuade.*
8. *ex variolis.*
9. *ex ægylope.*
10. *ab anchylope.*

GENERA.

112. *Ptyalismus* - A salivation.

SPECIES.

1. *nauseosus.*
2. *apyrosi.*
3. *a laxitate.*
4. *variolosus.*
5. *scorbuticus.*
6. *hypochondriacus.*
7. *arthriticus.*
8. *phthisicus.*
9. *viridis.*
10. *aphthosus.*
11. *gravidarum.*
12. *catarrhalis.*
13. *a carie.*
14. *febrilis.*
15. *syphiliticus.*
16. *mercurialis.*
17. *a calculo.*

18. *purulentus.*
19. *urinosus.*
20. *lapponicus.*

GENERA.

113. *Enuresis* - - - { Involuntary discharge of urine.

SPECIES.

1. *infantum.*
2. *paralyticorum.*
3. *herniosorum.*
4. *puerperarum.*
5. *gravidarum.*
6. *calculosa.*
7. *a fistula.*
8. *catamenialis.*
9. *asparganosi.*

114. *Gonorrhœa* - - { A preternatural flux from the urethra in men.

SPECIES.

1. *pura*, not arising from impure connection, and without dysuria.
2. *impura*, arising from the action of the venereal virus on the urethra, producing first an itching at its orifice; afterward a discharge like pus; ardor urinæ; often phymosis; paraphymosis; and swelled testicles.
3. *laxorum.*
4. *dormientium.*

CLASS IV. LOCALES.

ORDER V. EPISCHESES.

GENERA.

115. *Obstipatio* - - Costiveness.

SPECIES.

1. *debilium.*
2. *rigidorum.*
3. *obstructorum.*
4. *paralytica.*

116. *Ischuria* - - - Suppression of urine.

SPECIES.

1. *renalis.*
2. *ureterica.*
3. *vesicalis.*
4. *urethralis.*

117. *Dysuria* - - - { Difficulty, and pain, in discharging water.

SPECIES.

1. *ardens.*
2. *spasmodica.*
3. *compressionis.*
4. *phlogistica.*
5. *calculosa.*
6. *mucosa.*

118. *Dyspermatismus* - - - - { Seminis in actu venereo tarda, impedita, et ad generationem insufficiens emissio.

GENERA.

119. *Amenorrhea* - { Menses wholly or partially obstructed without pregnancy.

SPECIES.

1. *plethorica.*
2. *spasmodica.*
3. *atonica.*

CLASS IV. LOCALES.

ORDER VI. TUMORES.

120. *Aneurisma* - - { A soft tumour, with pulsation, on arteries.

121. *Varix* - - - - { A soft tumour, without pulse, on veins.

122. *Ecchymoma* - { A black and blue swelling, either from a bruise, or from a morbid extravasation of blood.

123. *Schirrus* - - - { A hard tumour of a glandular part, indolent, and not readily suppurating.

124. *Cancer* - - - - { A hard tumour of a glandular part, painful and obstinate, which terminates in the foulest ulcer.

GENERA.

125. *Bubo* - - - - A suppurating tumour of conglobate glands.

126. *Sarcoma* - - - A soft excrescence, not painful.

127. *Verruca* - - - A wart.

128. *Clavus* - - - - A corn.

129. *Lupia* - - - - A cyst under the skin, moveable, soft, indolent.

130. *Ganglion* - - - A hard tumour, moveable, on the tendon.

131. *Hydatis* - - - A cuticular cyst full of an aqueous fluid.

132. *Hydarthus* - - A white swelling on the joints.

133. *Exostosis* - - A hard tumour on the bone.

SPECIES.

1. *benigna.*
2. *rachitica.*
3. *cancrosa.*
4. *scrophulosa.*
5. *scorbutica.*
6. *syphilitica.*

CLASS IV. LOCALES.

ORDER VII. ECTOPIÆ.

GENERA.

134. *Hernia* - - - - { The displacing of a soft part, covered by the common teguments. A rupture.

135. *Prolapsus* - - { The protrusion of a soft part uncovered.

SPECIES.

1. *exophthalmia.*
   - a. hydropica.
   - b. purulenta.
   - c. cancrosa.
   - d. traumatica.
   - e. ab exostosi.
   - f. a polypo.
2. *blepharoptosis.*
3. *hypostaphyle.*
4. *paragloss.*
5. *exania.*
6. *hysteraptosis.*

136. *Luxatio* - - - The disjointing of a bone.

CLASS IV. LOCALES.

ORDER VIII. DIALYSES.

GENERA.

137. *Vulnus* - - - - A wound.

138. *Ulcus* - - - - An ulcer discharging pus or ichor.

139. *Herpes* - - - Tetters, or an assemblage of little creeping ulcers, itching much, and not inclined to heal, but terminating in furfuraceous scales.

SPECIES.

1. *farinosus*, or tetters.
2. *pustulosus*, or scald head.
3. *miliaris*, or ring worm.
4. *exedens*, or shingles.

140. *Tinea* - - - - *A scald head.* Small ulcers at the root of the hairs, which produce a friable white crust.

141. *Psora* - - - - *The itch.* Small pustules with watery heads, appearing first on the wrists, and between the fingers. Contagious.

142. *Fractura* - - - The fracture of bones.

143. *Caries* - - - - The decay of bones.

A

GENERAL INDEX;

WITH

AN EXPLANATION OF THE TERMS.

A	Cl.	Or.	Gen.
ADYNANIÆ, *A defect of Vital Powers*; from α, privitive; and Δυναμις, power	II	II	
AGEUSTIA, Αγευστια, Want of taste	IV	I	93
AGUE. *V.* FEBRIS INTERMITTENS.			
AMAURŌSIS, *Gutta Serena*; Αμαυρωσις, Obscurity	IV	I	87
.....COMPRESSIONIS, *from a pressure of the Optic Nerve.*			
.....ATONICA, *from Debility.*			
..... SPASMODICA, *from Spasm.*			
.....VENENATA, *from Poison.*			
AMENORRHŒA, *Suppression of the Menses*; from α priv. Μηνες, the Menses; and Ρεω, to flow	IV	V	119
AMENTIA, *Idiotism*	II	IV	57
ANÆSTHESIA, Αναισθησια, *Want of Sensation*	IV	I	94
ANAPHRODISIA, *Impotence*; from α, priv. and Αφροδισια, the Feast of Venus	IV	II	102

	Cl.	Or.	Gen.
ANASARCA, *Dropsy of the whole Body*; from Ανα, along; and Σαξ, the Flesh	III	II	68
.....SEROSA, *from a retention, or from an over increase of Serum.*			
.....EXANTHEMATICA, *from Exanthemata. V.* EXANTHEMATA.			
.....A COMPRESSIONE, *from an Interruption of the Circulation.*			
.....DEBILIUM, *from Debility.*			
ANEURISMA, *Tumour of an Artery*; from Ανευρυσμος, Dilatation	IV	VI	120
ANOREXIA, *Want of Appetite*; from α, neg. and Οξεξις, Appetite	IV	II	101
ANOSMIA, Ανοσμος, *Without Smell*	IV	I	92
.....ORGANICA, *from a Disease of the Schneiderian Membrane.*			
.....ATONICA, *no manifest cause appearing.*			
APHONIA, *Loss of Voice*; *from* α, priv. and Φωνη, the Voice	IV	III	103
APHRODISIACUS, *Venereal Excess*; from Αφροδισιακος, Venereus.			
APOCENŌSES, *Excessive Discharges.*			
APOPLEXIA, *Apoplexy*; from Απο and Πλησσω, to strike.....	II	I	86
.....SANGUINEA, *Sanguineous*, from excess of blood.			
.....SEROSA, *Serous*, in persons of a cold temperament.			
..... HYDROCEPHALICA, *Hydrocephalic*; from Υδωρ, Water; and κεφαλη, the Head.			
..... ATRABILARIA, *from the suffusion of black Bile over the System.*			
..... TRAUMATICA, *from external Violence*; from Τραυμα, ατος, a Wound.			

	Cl.	Or.	Gen.
APOPLEXIA VENENATA, *from poison.*			
..... SUFFOCATA, *from Suffocating Exhalations.*			
.....MENTALIS, *from passions of the Mind.*			
..... CATALEPTICA. *The Catalepsy*; from Καταλημψις, a Seizure. The patient on a sudden becomes stiff, and observes the same posture during the fit.			
APPETITE, *Depraved.* *V.* DYSOREXIA.			
..... *Want of.* *V.* ANOREXIA.			
ARTHRITICUS, *Arthritic*; from Αρθριτις, A disease in the Joints. *V.* PODAGRA.			
ARTHRODYNIA, *Chronic Rheumatism*; from Αρθρον, a Joint; and Οδυνη, Pain. *V.* RHEUMATISMUS.			
ARTHROPUOSIS, *Inflammation occasioning a Collection of Matter*; from Αρθρον, a Joint; and Πυωσις, Suppuration	I	II	21
ASCITES, *Dropsy of the Abdomen*; from Ασκος, a Sack	III	II	72
.....ABDOMINALIS, *The Abdominal*, an equal swelling of the whole Abdomen.			
..... SACCATUS, *The Encysted*, the fluctuation is here less evident, and the Swelling of the Abdomen at the first partial.			
ASTHMA, *frequent attacks of short breathing*; from Αημι, to breathe....	II	III	47
..... SPONTANEUM, *without any manifest cause.*			
..... PLETHORICUM, *from Plethora.*			

	Cl.	Or.	Gen.
ASTHMA EXANTHEMATICUM, *Exanthematic; from the repulsion of some humour.* V. EXANTHEMATA.			
ATROPHIA, *A slow Decay, or Atrophy*; from α, priv. and Τροφη, Nutrition	III	I	63
.....INANITORUM, *from too great Evacuations.*			
.....FAMELICORUM, *from famine.*			
.....CACOHYMICA, *from corrupted Nourishment.*			
.....DEBILIUM, *from an imperfection in the digestive Organ.*			
B			
BUBO*; from Βυβων, a Swelling in the Groin	IV	VI	125
BULIMIA, *Canine Appetite*; from Βυς, an Ox; and Λιμος, Hunger	IV	II	95
BLEEDING at the Nose. V. EPISTAXIS.			
BLOOD, Extravasation of. V. ECCHYMOMA.			
BLOODY FLUX. V. PROFUSIO.			
BREATHING, Difficult. V. ASTHMA, or DYSPNŒA.			
C			
CACHEXIA, *A bad habit of body*; from Κακος, bad; and Εξις, a habit ..	III		
CALĪGO, *The Cataract*.....	IV	I	86
CANCER, *Cancer*, a Crab.....	IV	VI	124
CANINE APPETITE. V. BULIMIA.			
CARDĪTIS, *Inflammation of the Heart*; from Καρδια, the Heart	I	II	9

* The vowels are placed first in this Index; then follow the consonants.

	Cl.	Or	Gen.
CARIES, *Rottenness in the Bones*.....	IV	VIII	143
CATARACT. *V.* CALIGO.			
CATARRHUS, *Catarrh*; from Καταῤῥέω, a Defluxion.....	I	V	34
..... A FRIGORE, *from cold.*			
.... A CONTAGIO, *from Contagion.* The Influenza.			
CATARRH. *V.* CATARRHUS.			
CŒLIAC PASSION. *V.* DIARRHŒA.			
COLICA, *The Colic*; from Κολον, the Colon	II	III	51
..... SPASMODICA, *Spasmodic*, arising from Spasms of the Abdominal Muscles.			
..... PICTONUM, *The Painters, or Devonshire Colic.* It arises from the poison of lead.			
..... STERCOREA, *in Persons of a costive Habit*			
CONSUMPTION. *V.* PHTHISIS.			
CONTRACTURA, *Contraction of the Limbs*	I	III	108
.....AB INFLAMMATIONE, *from inflammation.*			
.....SPASMO, *from spasm.*			
.....OB ANTAGONISTAS PARALITICOS, *from the Antagonist Muscles losing their action.*			
.....OB ACRIMONIA IRRITANTE, *from some irritating cause.*			
.....ARTICULARIS, *from stiffness in the Joints.*			
CONVULSIO, *Convulsions*	II	III	42
CORNS. *V.* CLAVUS.			
CORPULENCY. *V.* POLYSARCIA.			
COSTIVENESS. *V.* OBSTIPATIO.			
COUGH. *V.* TUSSIS.			
CHICKEN POX. *V.* VARICELLA.			

	Cl.	Or.	Gen.
CHILBLAIN. *V.* Phlogosis, Erythema.			
CHLORŌSIS, *The Green Sickness*; from Χλωρος, green, pale	III	III	85
CHOLĔRA; from Χολη, the Bile	II	III	52
CHOLERA, *The Cholera Morbus*; from Χολη, the Bile.			
CHOREA, *St Vitus's Dance*; from Χορεια, Dancing	II	III	43
CLAP. *V.* Gonorrhœa.			
CLAVUS, *A Corn*	IV	VI	128
CROUP. *V.* Cynanche Trachealis.			
CYNANCHE; from Κυων, a Dog; and Αγχω, to suffocate	I	II	7
.....MALIGNA. *The putrid sore Throat.*			
..... PAROTIDÆA. *The Mumps.*			
..... TRACHEALIS. *The Croup.*			
.....TONSILLARIS. *Inflammatory Quinsy.*			
CYSTĪTIS, *Inflammation of the Bladder*; from Κυστις, the Bladder	I	II	16

D

DEAFNESS. *V.* Dysecŏea.			
DEFECT in Vision. *V.* Dysopia.			
DIABĒTES. *Immoderate flow of Urine*; from Δια, through; and βαινω, to pass	II	III	54
DIALYSES, *The Destruction of Parts*; from Διαλυω, to flow through	IV	VIII	
DIARRHŒA, *A constant Looseness*; from Διαρρεω, to flow through	II	III	53
.....CRAPULOSA, *The Feculent Diarrhœa*; from *Crapulosus*, one who overloads his stomach.			

	Cl.	Or.	Gen.
DIARRHŒA BILIOSA, *The Bilious*; from an overflow of Bile.			
..... MUCOSA, *The Mucous*; a quantity of slime being voided.			
..... HEPATIRRHŒA. *The Hepatic*; a flux of serous matter somewhat resembling flesh is voided, the liver being primarily affected; from Ηπαρ, the liver; and ῥεω, to flow.			
..... LIENTERIA. *The Lientery*; the food passes unchanged.			
..... CŒLIACA. *The Cœliac Passion.*			
..... VERMINOSA, *arising from Worms.*			
DIGESTION, Bad. *V.* Dyspepsia.			
DUMBNESS. *V.* Mutitas.			
DYSESTHESIÆ; Δυσαισθησια, Loss of Sensation	IV	I	
DYSECOĒA, *Deafness*; from Δυς, difficult; and Ακοη, hearing	IV	I	90
DYSENTERIA, *Dysentery*; from Δυσεντερια, Pain in the Bowels.....	I	V	35
DYSŌPIA, *Defect in Vision*	IV	I	88
..... TENEBRARUM, *Requiring objects to be placed in a strong light.*			
..... LUMINIS, *Objects only discernible in a weak light.*			
..... DISSITORUM, *In which distant objects are not perceived.*			
..... PROXIMORUM, *In which objects too near are not perceived.*			
..... LATERALIS, *In which objects are not seen, unless placed in an oblique position.*			
DYSOREXIA, *A Deprared Appetite*; from Δυς, bad; and Ορεξις, Appetite.....	IV	II	

	Cl.	Or.	Gen.
DYSPERMATISMUS, *Difficult Emission of Semen*; from Δυς, difficult; and Σπερμα, Seed	IV	V	118
DYSPEPSIA, *Bad Digestion*; from Δυς, bad; and Πεπτω, to concoct ..	II	II	39
DYSŪRIA, *Difficulty in discharging Urine*; from Δυς, difficult; and Ουρον, Urine	IV	V	117
.....ARDENS, *A sense of heat, without any manifest disorder of the Bladder.*			
.....SPASMODICA, *from Spasm.*			
.....COMPRESSIONIS, *from a compression of the neighbouring parts.*			
.....PHLOGISTICA; *from violent Inflammation*; from Φλογος, flamma.			
.....CALCULOSA, *from stone in the Bladder.*			
.....MUCOSA, *from an abundant secretion of Mucus.*			
DYSCINESIÆ, *Difficulty of Motion*: from Δυς, bad; and Κινεω, to move ..	IV	III	
DYSPNŒA, *A constant Difficulty of Breathing*; from Δυς, difficult; and Πνεω, to breathe	II	III	48
DROPSY of the Brain, *Hydrocephalus Internus.* *V.* Apoplexia.			
..... *of the whole Body.* *V.* Anasarca.			
..... *of the Abdomen.* *V.* Ascites.			
..... *of the Womb or Ovaria.* *V.* Hydrometra.			
..... *of the Scrotum.* *V.* Hydrocele.			
E.			
ECTOPIÆ, *Parts Displaced*; from Εκτοπος, out of its Situation	IV	VII	

	Cl.	Or.	Gen.
ECCHYMŌMA; Εκχυμωμα, an extravasation of Blood	IV	VI	122
ELEPHANTIASIS. Ελεφας, an Elephant	III	III	80
EMPHYSĒMA. *V.* PNEUMATOSIS.			
ENURĒSIS, *An involuntary flow of Urine*; from Ενουρεω, to make water.....	IV	IV	113
..... ATONICA, *the Sphincter of the Bladder having lost its tone from some previous disease.*			
.....ab Irritatione, vel Compressione vesicæ, *from an irritation or compression of the Bladder.*			
ENLARGEMENT of the Abdomen. *V.* PHYSCONIA.			
ENTERĪTIS, *Inflammation of the Intestines*; from Εντερον, the Intestine	I	II	12
EPIPHŎRA, *An involuntary flow of tears*; from Επιφορα, a Flood.....	IV	IV	111
EPILEPSIA, *Epilepsy*; from Επιλειψις, a Swoon	II	III	45
..... TRAUMATICA, *from an injury of the Head.*			
.....A DOLORE, *from Pain.*			
.....VERMINOSA, *from Worms.*			
.....EXANTHEMATICA, *from an Eruption drove in.*			
.....A CRUDITATE VENTRICULI, *from crupities of the Stomach.*			
..... AB INANITIONE, *from Debility.*			
..... UTERINA, *from Hysteric Affections. V.* HYSTERIA.			
EPHIDRŌSIS, *Excessive Sweating*; Εφυδρις, abundant in Water	IV	IV	110
EPISCHĒSES, Επισχεσις, *Retention*....	IV	V	
EPISTAXIS, *Bleeding at the Nose*	I	IV	29
ERYSIPELAS, *St. Anthony's Fire*.....	I	III	22

	Cl.	Or.	Gen.
ERYSIPELAS VESICULOSUM, *with large Blisters.*			
.....PHLYCTÆNODES, *with Phlyctenæ, or small Blisters*; from Φλυκταινωδης, Pustulæ Similis.			
EXANTHEMATA, *Eruptions*; from Εξανθημα, a Pustule	I	III	
EXOSTOSIS, *Tumor on the Bones*; from Εξ and Οστεον, a Bone	IV	VI	133
F			
FAINTING. *V.* SYNCOPE.			
FEBRIS INTERMITTENS, *An Intermittent Fever, or Ague*	I	I	1
.....CONTINUA, *a continued Fever*	I	I	2
HECTICA, *an hectic Fever*	I	I	5
FUROR UTERINUS. *V.* NYMPHOMANIA.			
FLUXES. *V.* PROFLUVIA.			
FRACTURA, *A Fracture*.....	IV	VIII	142
FRAMBŒSIA, *The Yaws*; from Framboise, *Fr.* a Raspberry	I	III	82
G			
GANGLION, *A Tumor on a Tendon*....	IV	VI	130
GASTRITIS, *An Inflammation of the Stomach*; from Γαστηρ, the Stomach	I	II	11
..... PHLEGMONODEA, *with Phlegmon*; from Φλεγω, to burn.			
..... ERYSIPELATOSA, from Ερυσιπελας, a red Tumour. An Erysepelatous redness is observed about the fauces.			
GOUT. *V.* PODAGRA.			
GONORRHŒA; from Γονορροια, a Flux of Seed	IV	IV	114
..... PURA, *not arising from impure connection.*			

	Cl.	Or.	Gen.
GONORRHŒA IMPURA, *arising from Venereal Virus.*			
.....LAXORUM, *the person being awake.*			
.....DORMIENTIUM, *from an impure imagination when asleep.*			
GUTTA SERENA. *V.* AMAUROSIS.			
GREEN SICKNESS. *V.* CHLOROSIS.			
H			
HÆMOPTYSIS, *Spitting of Blood*; from Αιμα, blood; and Πτυω, to spit	I	IV	30
.....PLETHORICA, *from fullness of the Vessels.*			
.....VIOLENTA, *from some external violence.*			
..... PHTHISICA, *Consumptive*; from φθιω, to waste.			
..... CALCULOSA, *from calcareous matter in the Lungs.*			
..... VICARIA, *from the suppression of some customary evacuation.* The termination of an Hæmoptysis is in Phthisis.			
HÆMORRHAGIÆ, *Hæmorrhages*; from Αιμορραγια, an Eruption of Blood	I	IV	
HÆMORRHOIS, *The Piles*; from Αιμορροις, a Flux of Blood	I	IV	32
HEMIPLEGIA, *Palsy of one Side. V.* PARALYSIS.			
HECTIC FEVER. *V.* FEBRIS HECTICA.			
HEPATITIS, *Inflammation of the Liver*	I	II	13
HERNIA, *A Rupture*	IV	VII	134.
HERPES, *Tetters*; from Ερπω, to creep	IV	VIII	139
HOOPING COUGH. *V.* PERTUSSIS.			
HYDARTHUS, *A White Swelling*, from Υδωρ, Water; and Αρθρον, a Joint	IV	VI	132

	Cl.	Or.	Gen.
HYDĂTIS, *An Hydatid*; from Υδαλις, a Bladder	IV	VI	131
HYDROCĒLE, *Dropsy of the Scrotum*; from Υδωρ, Water; and Κηλη, a Swelling	III	II	74
HYDROCEPHALUS EXTERNUS, *External Swelling of the Head*; from Υδωρ, Water; and Κεφαλη, the Head	III	II	69
HYDROCEPHĂLUS INTERNUS, *Dropsy of the Brain*; from Υδωρ, Water: and Κεφαλη, the Head. *V.* Apoplexia			
HYDROMĒTRA, *Dropsy of the Womb and its Appendages*; from Υδωρ, Water; and Μητρα, the Womb	III	II	73
HYDROPHOBIA, *Canine Madness*; from Υδωρ, Water; and Φοβεω, to dread	II	III	56
HYDRORACHITIS, *The Spina Bifida*; from Υδωρ, Water; and Ραχις, the Back-bone	III	II	70
HYDROTHŌRAX, *Dropsy of the Chest*; from Υδωρ, Water; and Θωραξ, the Breast	III	II	71
HYPOCHONDRIASIS, *Hypochondriac Affections*; from Υποχονδριακος, one who is hipped	II	II	40
HYSTERIA, *Hysterics*, from Υστερα, the Womb	II	III	55
.....CHLOROTICA, *from a retention of the Menses. V.* Chlorosis.			
.....A MENORRHAGIA, *from an immoderate flow of the Menses. V.* Menorrhagia.			
.....A LEUCORRHÆA, *from the Fluor Albus*; from Λευκος, White; and ρεω, to flow. *V.* Menorrhagia.			

	Cl	Or	Gen.
HYSTERIA LIBIDINOSA, *from Sensual Desires*	III	III	84
HYSTERĪTIS, *Inflammation of the Uterus.*	I	II	17
I			
ICTĔRUS, *The Jaundice.*			
..... CALCULOSUS, *from Gall Stones.*			
..... SPASMODICUS, *from Spasm.*			
..... MUCOSUS, *from Mucus obstructing the Hepatic Duct.*			
..... HEPATICUS, *from an induration of the Liver.*			
..... GRAVIDARUM, *from pregnancy, and disappearing after delivery.*			
..... INFANTUM, *of Infants.*			
IDIOTISM. *V.* AMENTIA.			
IMPETIGINES, *Diseases which deform the Surface*	III	III	
INFLAMMATION of the Eye. *V.* OPHTHALMIA.			
.....Intestines. *V.* ENTERITIS.			
.....Uterus. *V.* HYSTERITIS.			
.....Bladder. *V.* CYSTITIS.			
.....Brain. *V.* PHRENITIS.			
.....Heart. *V.* CARDITIS.			
.....Kidney. *V.* NEPHRITIS.			
.....Liver. *V.* HEPATITIS.			
.....Lungs. *V.* PERIPNEUMONIA.			

	Cl.	Or.	Gen.
INFLAMMATION of the Peritonæum. *V.* PERITONITIS.			
..... Pleura. *V.* PLEURITIS.			
..... Spleen. *V.* SPLENITIS.			
..... Stomach. *V.* GASTRITIS.			
INFLAMMATORY QUINSY. *V.* CYNANCHE TONSILLARIS.			
INFLATION *of the Uterus. V.* PHYSOMETRA.			
..... *Abdomen. V.* TYMPANITES.			
INSANIA, *Insanity, or a deranged Imagination*	II	IV	59
INTERMITTENS, *An Intermittent Fever or Ague*	I	I	1
..... QUOTIDIANA, *Quotidian.* The paroxysms return in the *morning*, at an interval of about twenty-four hours.			
..... TERTIANA. *Tertian.* The paroxysms commonly come on at *mid-day*, at an interval of about forty-eight hours.			
..... QUARTANA. *Quartan.* The paroxysms come on in the *afternoon*, with an interval of about seventy-two hours.			
INSTRUMESCENTIA, *Swellings*.....	III	II	
ISCHURIA, from Ισχυρια, a Suppression of Urine	IV	V	116
.....RENALIS, *Coming after a disease of the Kidney, with a troublesome sense of weight in that part.*			

	Cl.	Or.	Gen.
ISCHURIA URETERICA, *After a disease of the Kidneys, a sense of pain or uneasiness in some part of the Urethra.*			
.....VESICALIS, *A frequent desire to make water, with a swelling of the Hypogastrium; pain at the neck of the Bladder.*			
..... URETHRALIS, *A frequent desire to make water, with a swelling of the Hypogastrium, and pain in some part of the Urethra.*			
JAUNDICE. *V.* ICTERUS.			
K			
KING'S EVIL. *V.* SCROFULA.			
L			
LEPRA, *Leprosy*	III	III	81
LIENTERY. *V.* DIARRHŒA.			
LOCALES, *Local Affections.*			
LOCKED JAW, or TRISMUS. *V.* TETANUS.			
LONGINGS OF WOMEN. *V.* PICA.			
LUES VENEREA. *V.* SYPHILIS and GONORRHŒA.			
LUMBĀGO *V.* RHEUMATISMUS.			
LUMBAR ABSCESS. *V.* ARTHROPUOSIS.			
LUPIA, *A soft Swelling under the Skin*..	IV	VI	129
LUXATIO, *A Luxation*	IV	VII	136
M			
MADNESS, MELANCHOLY. *V.* MELANCHOLIA.			
..... HAPPY. *V.* INSANIA.			
..... FURIOUS. *V.* MANIA.			

	Cl.	Or.	Gen.
MANIA, *Raving or Furious Madness* ...	II	IV	60
MARCORES, *Wasting*	III	I	
MEASLES. *V.* RUBEOLA.			
MELANCHOLIA, *Melancholy Madness.*	II	IV	58
MENORRHAGIA, *Immoderate flow of the Menses*; from Μην, a Month, and Ραγας, a Rupture	I	IV	33
..... RUBRA, *Proper*; *from women neither with child nor in child-birth.*			
..... ALBA, *Serous*; *the Fluor Albus, or Whites.*			
..... VITIORUM, *From some local disease.*			
..... ABORTUS, *Abortive*; *from women with child.*			
..... LOCHIALIS, *From women after delivery.*			
MENSES, *Immoderate flow of.* *V.* MENORRHAGIA.			
..... *Suppression of.* *U.* AMENORRHŒA.			
MILIARIA, *Miliary Fever*	I	III	27
MOTION IMPEDED. *V.* DYSCINESIA.			
MUMPS. *V.* CYNANCHE PAROTIDŒA.			
MUTITAS, *Dumbness*	IV	III	104
N			
NEPHRITICUS, *Nephritic*; from Νεφριτης, a disease of the Kidney.			
NEPHRITIS, *Inflammation of the Kidney*; from Νεφρος, the Kidney	I	II	15
NERVOUS FEVER. *V.* TYPHUS MITIOR.			
NEUROSES, *Nervous Diseases*; from Νευρον, a Nerve	II		
NIGHT-MARE. *V.* ONEIRODYNIA GRAVANS.			

	Cl.	Or.	Gen.
NOSTALGIA, *Vehement desire of revisiting one's Country*; from Νοστεω, to return; and Αλγος, pain	IV	II	100
NYMPHOMANIA, *Furor Uterinus*; from Νυμφια, Nympha; and Μανια, Madness	IV	II	99
O			
OBSTIPATIO, *Costiveness*	IV	V	115
..... DEBILIUM, *In weak and commonly dyspeptic persons.*			
..... RIGIDORUM, *In persons of rigid fibres and a melancholy temperament.*			
.....OBSTRUCTORUM, *From obstructions.* *V.* COLICA.			
ODONTALGIA, *The Tooth-ach*; from Οδους, a Tooth; and Αλγος, Pain	I	II	19
ONEIRODYNIA, *Disturbed Sleep*; from Ονειρον, a Dream; and Οδυνη, Anxiety	II	IV	61
.....GRAVANS, *The Night-Mare.*			
OPHTHALMIA, *Inflammation of the Eye*; from Οφθαλμος, the Eye	I	II	5
P			
PALPITATIO, *Palpitation of the Heart*	II	III	4
PALSY OF ONE SIDE, *Hemiplegia.* *V.* PARALYSIS.			
PARACŪSIS, *Singing in the Ears*; from Παρα, Wrong; and ακουω, to hear	IV	I	91
..... IMPERFECTA, *When existing sounds are not heard as usual.*			
..... IMAGINARIA, *When imaginary sounds are heard.*			
PARALYSIS, *Palsy*; from Παραλυω, to loose	II	I	87

	Cl.	Or.	Gen.
PARALYSIS PARTIALIS, *Partial; Palsy of some particular muscles.*			
..... HEMIPLEGICA, *Paralysis of one side*; from Ἡμιπληξ, ηγος, dimidia parte percussus.			
..... PARAPLEGICA, *Palsy of one half of the body*; from Παραφληγια.			
..... VENENATA, *From the sedative effects of poisons. V.* Colica Pictorum.			
PARAPLEGIA, *Palsy of half of the body taken transversely. V.* Paralysis.			
PARAPHONIA, *Alteration of the voice*; from Παρα, Wrong; and Φωνη, Sound	IV	III	105
PERIPNEUMONIA, *Peripneumony, or Inflammation of the Lungs. V.* Pneumonia.			
PERITONĪTIS, *Inflammation of the Peritonæum*	I	II	101
PERTUSSIS, *The Hooping Cough*	II	III	49
PESTIS, *The Plague*	I	III	23
PICA, *Particular Longings*	IV	II	96
PILES. *V.* Hæmorrhöis.			
PODAGRA, *The Gout*; from Πους, the Foot; and Αγρα, taken	I	II	20
..... REGULARIS, *The Regular.*			
..... ATONICA, *Atonic*; from Ατονος, α, neg. and Τεινω, to stretch.			
..... RETROGRADA, *Retrocedent.*			
..... ABERRANS, *Misplaced, or wandering.*			
POLYDIPSIA, *Excessive Thirst*; from Πολευς, much; and Διψη, Thirst	IV	IV	97
POLYPUS. *V.* Sarcoma.			

	Cl.	Or.	Gen.
POLYSARCHIA, *Corpulency*; from Πολυς, much; and Σαρξ, Flesh ..	III	II	64
PUTRID FEVER. *V.* Typhus Gravior.			
PUTRID SORE THROAT. *V.* Cynanche Maligna.			
PHLOGŌSIS, *Inflammation*; from Φλοξ, λος, Flamma	I	II	4
.....PHLEGMONE, *with Phlegmon*; from Φλεγμονη, Vivid Inflammation.			
.....ERYTHEMA; from Ερυθημα, Redness.			
PHRENĪTIS, *Phrensy, or Inflammation of the Brain*; from Φρην, the Mind	I	II	6
PHTHISIS, *Pulmonary Consumption*; from Φθιω, to consume	I	IV	31
.....INCIPIENS, *Incipient*; without any expectoration of Pus.			
.....HUMIDA, *Purulent*; with an expectoration of Pus.			
.....SCROPHULOSA; *From Scrophula*, Tubercles in the Lungs.			
.....HÆMOPTOICA, *From Hæmoptysis.*			
.....EXANTHEMATICA, *From Exanthemata.*			
.....CHLOROTICA, *From Chlorosis.*			
.....SYPHILITICA, *From a Venereal Ulcer in the Lungs.*			
PHYSCONIA, *Enlargement of the Abdomen*; from Φυσκων, a big-bellied fellow	III	II	75
PHYSOMETRA, *Windy Swelling of the Uterus*; from Φυσαω, to inflate; and Μητρα, the Womb	III	II	67
PLAGUE. *V.* Pestis.			

	Cl.	Or.	Gen.
PLEURĪTIS, *Pleurisy, or Inflammation of the Pleura.* *V.* PNEUMONIA.			
PLICA POLONICA. *V.* TRICHOMA.			
PNEUMATOSIS, *Emphysema, or Windy Swellings*	III	II	65
..... SPONTANEA, *Without any manifest cause.*			
..... TRAUMATICA, *From a Wound.*			
..... VENENATA, *From Poison.*			
..... HYSTERICA, *With Hysteria.*			
PNEUMONIA, from Πνευμων, the Lungs	I	II	8
PROFLUVIA, *Fluxes*	I	V	
PROFUSIO, *The Bloody Flux*	IV	IV	109
PROLAPSUS, *A Protrusion*	IV	VII	135
PROTRUSION, or Falling down. *V.* PROLAPSUS.			
PSEUDOBLEPSIS, *Imaginary Vision of objects*; from Ψευδος, false; and Βλεψις, sight	IV	I	89
..... IMAGINARIA, *In which objects are perceived which are not present.*			
..... MUTANS, *In which objects that are present appear somehow changed.*			
PSELLISMUS, *Defect of Speech*; from Ψελλισμα, Hesitation of Speech	IV	III	106
PSORA, Ψωρα, the Itch	IV	VIII	141
PTYALISMUS, *A Salivation*	IV	IV	112
PYREXIÆ, *Febrile Diseases*; from Πυρεξια, Fever	I		
PYRŌSIS, *Heart-burn*; from Πυρωσις, a Burning	II	III	50
R			
RACHĪTIS, *The Rickets*; from Ραχις, the Back-bone	III	II	76

	Cl.	Or	Gen.
RAPHANIA, from Ραφανη, the radish, or charlock; eating the Seeds of which will occasion this disease	II	III	44
RICKETS. *V.* RACHITIS.			
RUBEOLA, *The Measles*; from *Rubeo*, to become red	I	III	26
RUPTURE. *V.* HERNIA.			
RHEUMATISM, Chronic. *V.* ARTHRODYNIA.			
RHEUMATISMUS, *The Rheumatism*; from Ρευμαλισμος, a Defluxion	I	II	18
S			
SALIVA, *Flux of.* *V.* PTYALISMUS.			
SARCOMA, *An Excrescence*; from Σαρξ, Flesh	IV	VI	126
SATYRIASIS, *Excessive desire after Venery*	IV	II	98
SEED, *Preternatural flow of.* *V.* GONORRHŒA.			
SENSATION, *Want of.* *V.* ANÆSTHESIA.			
SINGINGS IN THE EAR. *V.* PARACUSIS.			
SCALD HEAD. *V.* TINEA.			
SCARLATINA, *The Scarlet Fever*	I	III	23
..... SIMPLEX, *The Mild.*			
.....CYNANCHICA, *With ulcerated sore throat, or Cynanche.*			
SCIATICA. *V.* RHEUMATISMUS.			
SCORBUTUS. *Scurvy*	III	III	79
SCURVY. *V.* SCORBUTUS.			
SCHIRRHUS, Σκιρρος, a Chip of Marble	IV	VI	123
SCROPHULA, *The King's Evil*; Sciotula, a Pig	III	II	77
SMALL POX. *V.* VARIOLA.			
SMELL, *Loss of.* *V.* ANOSMIA.			
SPASMI, *Spasmodic Diseases*; from Σπαω, to contract	II	III	

	Cl.	Or.	Gen.
SPEECH, *Defect of.* *V.* PSELLISMUS.			
SPITTING OF BLOOD. *V.* HÆMOPTYSIS.			
SPLENĪTIS, *Inflammation of the Spleen*	I	II	14
SQUINTING. *V.* STRABISMUS.			
ST. ANTHONY'S FIRE. *V.* ERYSIPELAS.			
ST. VITUS'S DANCE. *V.* CHOREA.			
STRABISMUS, Στραβίσμος, Squinting	IV	III	107
SWEATING. *V.* EPHYDROSIS.			
SWELLING OF THE HEAD, External. *V.* HYDROCEPHALUS EXTERNUS.			
SYNŎCHA, Συνοχος, continued. *V.* FEBRIS CONTINUA.			
SYNCŎPE, *Fainting*; from Συνκοπτω, to strike down.....	II	II	38
..... CARDIACA, *The Cardiac Syncope*; arising from some organic affection of the heart, or neighbouring vessels, and returning *without any manifest cause.*			
..... OCCASIONALIS, *The exciting cause being manifest.*			
SYPHĬLIS, *Lues Venerea*	III	III	78
T			
TABES, *A Wasting of the Body*	III	I	62
..... PURULENTA; *from an ulcerous discharge.*			
..... SCROPHULOSA; *from a scrophulous habit.*			
..... VENENATA; *from Poison.*			
TASTE, *Want of.* *V.* AGEUSTIA.			
TEARS, *A Flux of.* *V.* EPIPHORA.			
TETĂNUS, *Spasm with Rigidity*; from τεινω, to stretch.			

	Cl.	Or.	Gen.
TETĂNUS OPISTHOTONOS, *Where the body is thrown back by spasmodic contractions of the Muscles*; from Οπισθοτονος, bent back.			
.....EMPROSTHOTONOS, *The body being bent forwards*, from Εμπροσθεν, before; and τεινω, to stretch.			
.....TRISMUS, *The Locked Jaw*; from Τρισμος, stridor.			
TETTERS. *V.* HERPES.			
TINĔA, *A Scald Head*	I	VIII	140
TOOTH-ACH. *V.* ODONTALGIA.			
TUMŌRES, *Tumours*	IV	VI	
TUSSIS EXANTHEMATICA, *A cough attendant on an eruption, &c.* ..	I	V	34
THIRST, Excessive. *V.* POLYDIPSIA.			
TRICŌMA, *An Entanglement of the Hair*; from Θριξ, Τριχος, and Κομη, the Hair	III	III	83
TYMPANITES, *Tympany*, Τυμπανον, a Drum	III	II	66
..... INTESTINALIS, *A lodgment of wind in the Intestines*			
.....ABDOMINALIS, *Wind in the Abdomen.*			
TYPHUS, Τυφος, Stupor. *V.* FEBRIS CONTINUA.			
.....PETECHIALIS, *Typhus with Petechiæ.*			
.....MITIOR, *The milder Typhus, or Slow Fever.*			
.....GRAVIOR, *The oppressive, or Putrid Fever.*			
.....ICTERODES, *The Yellow Fever*; from Ικτεροδης, Felle effusus.			

	Cl.	Gen.	Or.
V			
VARIŎLA, *The Small Pox*	I	III	24
..... DISCRETA, *The Distinct.*			
..... CONFLUENS, *Confluent.*			
VARICELLA, *The Chicken Pox*	I	III	25
VARIX, *The Tumour of a Vein*	IV	VI	125
VERRŪCA, *A Wart*.....	IV	VI	127
W			
WHITE SWELLING. *V.* ARTHROPUOSIS.			

PART II.

A

COMPENDIUM

OF

THERAPEUTICS,

WITH

FORMULÆ.

CONTENTS.

EMETICA ..... I.

CATHARTICA ..... II.

DIAPHORETICA ..... III.

DIURETICA ..... IV.

EPISPASTICA ..... V.

EXPECTORANTIA ..... VI.

ERRHINA ..... VII.

SIALAGOGA ..... VIII.

EMMENAGOGA ..... IX.

ANTHELMINTICA ..... X.

LITHONTHRIPTICA ..... XI.

ANTACIDA ..... XII.

ATTENUANTIA ..... XIII.

ANTISEPTICA ..... XIV.

ASTRINGENTIA ..... XV.

CORROSIVA ..... XVI.

DEMULCENTIA ..... XVII.

STIMULANTIA ..... XVIII.

ANTISPASMODICA ..... XIX.

MEDICINES ARRANGED

IN THEIR

CLASSES AND ORDERS.

CLASS I.

EMETICA.

ORDERS.

I. *Irritantia.*

Antimon. tartarisatum.....	*gr.*	1.—	*gr.*	6.
Zincum vitriolatum	*gr.*	10.—	*scr.*	2.
Hydrargyrus vitriolatus....	*gr.*	4.—	*gr.*	12.
Ipecacuanha	*gr.*	8.—	*scr.*	1.
Asarum, rad.	*scr.*	1.—	*dr.*	1.
Scilla exsiccata	*gr.*	4.—	*gr.*	6.

II. *Calefacientia.*

Sinapi	*dr.*	1.—	*dr.*	4.
Raphanus rusticanus.....	*scr.*	1.—	*dr.*	½.
Chamæmelum.....	*scr.*	1.—	*dr.*	1.

III. *Narcotica.*

Nicotiana.....	*dr.*	½.—	*un.*	4.
Digitalis	*gr.*	2.—	*gr.*	5.

CLASS II.

CATHARTICA.

ORDERS.

I. *Stimulantia.*

Jalapium	*gr.*	10.	—*scr.*	1½.
Senna	*scr.*	1.	—*dr.*	2.
Alöe socotorina	*gr.*	10.	—*scr.*	1½.
Colocynthis	*gr.*	4.	—*gr.*	12.
Calomelas	*gr.*	4.	—*gr.*	12.
Scammonium	*gr.*	5.	—*gr.*	15.
Gambogia	*gr.*	4.	—*gr.*	15.
Elaterium	*gr.*	1.	—*gr.*	5.

II. *Calefacientia.*

Guaiacum gummi-resina	*gr.*	10.	—*dr.*	1.

III. *Refrigerantia.*

Natron vitriolatum	*dr.*	4.	—*un.*	1½.
Kali vitriolatum	*dr.*	4.	—*un.*	1.
Flores sulphuris	*scr.*	1.	—*dr.*	1.
Cassia fistularis	*un.*	½.	—*un.*	1½.

IV. *Astringentia.*

Rhabarbarum	*gr.*	15.	—*dr.*	1.

V. *Emollientia.*

Oleum ricini	*dr.*	4.	—*un.*	2.
Manna	*dr.*	4.	—*un.*	2.

ORDERS.

VI. *Narcotica.*

Nicotiana ..... *dr.* ½.—*un.* 4. *aq.*
Hyoscyamus ..... *gr.* 1.—*gr.* 3.
Digitalis..... *gr.* 2.—*gr.* 5.

CLASS III.

DIAPHORETICA.

I. *Calefacientia.*

Serpentaria ..... *gr.* 10.—*scr.* 2.
Contrayerva ..... *gr.* 10.—*scr.* 2.
G. Guaiacum ..... *gr.* 10.—*scr.* 2.
Arnica, flos ..... *dr.* 1.
Liq. volat. Cornu Cervi *gt.* 30.—*gt.* 60.
Oleum essen. lavendulæ *gt.* 4.—*gt.* 10.

II. *Stimulantia.*

Antimonium tartarisatum *gr.* ½. *o. h.*
Vinum Antimonii ..... *gt.* 5.—*gt.* 60.
Calomelas ..... *gr.* 1.

III. *Antispasmodica.*

Opium ..... *gr.* ½.—*gr.* 1.
Moschus..... *gr.* 10.—*scr.* 1½.
Camphora..... *gr.* 4.—*scr.* 1.
Ipecacuanha..... *gr.* 1.

ORDERS.

IV. *Diluentia.*

Aqua ..... *ad libitum.*
Serum lactis ..... *ad libitum.*

CLASS IV.

DIURETICA.

I. *Stimulantia.*

Colchicum rad. ..... *gr.* ½.—*gr.* 2.
Daucus Sylvestris ..... *un.* ½. *ad lib.* ½.
Genista cac. ..... *un.* ½. *ad lib.* ½.
Juniper. cac. manip. .... 1. *d. coch.* 2.
Taraxaci suc. ..... *un.* 1.—*un.* 8.
Terebinthina ..... *scr.* 1.—*dr.* 1.
Scilla ..... *gr.* 2.—*gr.* 6.
Cantharides ..... *gr.* ½.
Apium.

II. *Refrigerantia.*

Acetum ..... *un.* ½.—*un.* 1.
Acetosa ..... *un.* 4.—*un.* 6.
Petroselinum ..... *dr.* ½.
Kali præparatum ..... *gr.* 12.—*scr.* 1.
Kali acetatum ..... *gr.* 20.—*gr.* 30.
Nitrum ..... *gr.* 10.—*gr.* 25.
Berberis.

III. *Diluentia.*

Serum lactis ..... *ad libitum.*

CLASS V.

EPISPASTICA.

ORDERS.

I. *Rubefacientia.*

Sinapi.
Raphanus rusticus.
Cortex radicis mezerei.

II. *Vesicantia.*

Cantharides.

CLASS VI.

EXPECTORANTIA.

I. *Stimulantia.*

Allium	*dr.*	1.	—*dr.*	2.
Ammoniacum	*gr.*	15.	—*dr.*	½.
Enula	*scr.*	1.	—*dr.*	1.
Hyssopus	*manip.*	1.	—*vel.*	2.
Marrubium	*manip.*	½.		
Scilla	*gr.*	3.	—*gr.*	6.
Antimonium	*scr.*	1.	—*scr.*	2.

Vesicatoria.
Nicotianæ fumus.

ORDERS.

II. *Emollientia.*

Glycyrrhiza..... *dr.* 2.—*un.* 1.
Spermaceti ..... *dr.* ½.—*dr.* 1.
Tussilago ..... *ad libitum.*
Vapores ..... *ad libitum.*

CLASS VII.

ERRHINA.

Stimulantia.

Beta, rad. suc.
Betonica, fol. ..... *gr.* 3.—*gr.* 5.
Euphorbium ..... *gr.* ¼.
Asarum ..... *gr.* 3.—*gr.* 4.
Helleborus ..... *gr.* 5.—*gr.* 10.
Nicotiana..... *ad libitum.*

CLASS VIII.

SIALAGOGA.

I. *Topica.*

Angelica.
Nicotiana..... *ad libitum.*
Piper ..... *gr.* 10.—*scr.* 1.

ORDERS.

Scillæ ..... *gr.* 3.—*gr.* 6.
Sal Prunellæ ..... *gr.* 3.—*scr.* 1.

II. *Interna.*

Ung. hydr. mitius ..... *dr.* 1.
Ung. hydr. fortius ..... *dr.* ½.
Pilulæ ex hydr. ..... *gr.* 12.—*gr.* 20.

CLASS IX.

EMMENAGOGA.

I. *Stimulantia.*

Borax ..... *gr.* 10.—*scr.* 1.
Aloë soc. ..... *gr.* 10.—*scr.* 1.
Sabina ..... *gr.* 5.—*scr.* 1.
Rubia ..... *gr.* 15.
Cantharides ..... *gr.* ¼.
Electricitas.
Hydrargyrus.

II. *Tonica.*

Ferri rubigo ..... *gr.* 5.—*scr.* 1.
—— limatura ..... *gr.* 5.—*scr.* 1.
Lavatio frigida.
Corporis exercitio.
Diæta lauta.

ORDERS.

III. *Antispasmodica.*

Asafœtida ..... *scr.* 1.—*scr.* 2.
Myrrha ..... *gr.* 10.—*gr.* 30.
Castoreum ..... *gr.* 10.—*gr.* 30.
Pediluvium.

CLASS X.

ANTHELMINTICA.

I. *Venenosa.*

Stannum ..... *gr.* 15.—*gr.* 60.
Hydrar. cum Sulphure .... *scr.* 1.—*dr.* 1.
Spigelia ..... *dr.* 4.
Filix ..... *dr.* 2.—*dr.* 4.
Helleborus fœtidus ..... *gr.* 1.—*gr.* 8.
Hydrargyrus.

II. *Irritantia.*

Stizolobium (*dolichos pruriens, L. S. P.*)
Corallina ..... *scr.* 1.—*scr.* 3.

III. *Lubricantia.*

Oleum olivarum..... *dr.* 1.—*un.* 1.
Oleum ricini ..... *dr.* 4.—*un.* 1.

IV. *Tonica.*

Sabina ..... *gr.* 5.—*scr.* 1.
Santonicum..... *dr.* 1.

ORDERS.

Tanacetum.

Ferrum vitriolatum ..... *gr.* 2.—*gr.* 8.

Limatura Ferri ..... *gr.* 5.—*scr.* 1.

Aqua calcis.

V. *Cathartica.*

Sapo ..... *un.* 1.

Jalappa ..... *scr.* 1.—*scr.* 2.

Rheum ..... *gr.* 10.—*gr.* 30.

Aloë soc. ..... *gr.* 10.—*gr.* 20.

Scammonium ..... *gr.* 4. *gr.* 16.

Gambogia ..... *gr.* 2.—*gr.* 6.

CLASS XI.

LITHONTHRIPTICA.

I. *Antacida.*

Sapo ..... *dr.* ½.—*dr.* 2.

Aqua calcis ..... *un.* 4.—*un.* 8.

Aqua kali puri ..... *gt.* 10.—*gt.* 60.

Aqua mephitica alkalina.

II. *Adstringentia.*

Uva ursi ..... *scr.* 2.

CLASS XII.

ANTACIDA.

ORDERS.

I. *Eccoprotica.*

Sapo..... *gr.* 5.—*gr.* 30.
Magnesia..... *gr.* 5.—*gr.* 40.
Alkalina.

II. *Restringentia.*

Creta. ppt. ..... *scr.* 1.—*scr.* 2.
Testæ ostreorum, ppt. .... *scr.* 1.—*scr.* 3.
Aqua calcis ..... *un.* 4.—*un.* 8.

CLASS XIII.

ATTENUANTIA.

I. *Diluentia.*

Serum lactis.

II. *Deobstruentia.*

Sapo.
Sales Neutri.
Hydrargyrus.
Alkalina.
Spongia usta ..... *scr.* 1.—*scr.* 2.

CLASS XIV.

ANTISEPTICA.

ORDERS.

I. *Tonica.*

Cortex peruvianus	.....	*gr.* 10.	—*dr.*	2.
Absinthium	.....	*scr.* 1.	—*dr.*	½.
Chamæmælum	.....	*scr.* 1.	—*dr.*	¼.

II. *Refrigerantia.*

Sales acidi.
Sales neutri.
Fructus & vegetabilia.

III. *Stimulantia.*

Camphora	.....	*gr.* 3.	—*gr.*	24.
Asafœtida	.....	*gr.* 15.	—*dr.*	½.
Vinum.				
Alkohol	.....	*dr.* ½.	—*dr.*	1.
Oleum terebinthinæ	.....	*gt.* 10.	—*gt.*	30.

CLASS XV.

ASTRINGENTIA.

ORDERS.

I. *Styptica.*

Alumen ..... *gr.* 1.—*gr.* 24.
Ferrum vitriolat. ..... *gr.* 1.—*gr.* 6.
Ferrum ammoniacale .... *gr.* 3.—*gr.* 12.
Ferri rubigo ..... *gr.* 5.—*gr.* 24.
Ferri limatura..... *gr.* 5.—*scr.* 1.
Zincum calcinatum ..... *gr.* 2.—*gr.* 10.
Zinc. vitriolatum ..... *gr.* 1.—*gr.* 5.
Arsenicum ..... *gr.* $\frac{1}{10}$
Cuprum

II. *Corrugantia.*

Rosa.
Tormentil ..... *scr.* 2.—*dr.* 1.
Cortex peruvianus..... *gr.* 10.—*dr.* 2.
Simarouba ..... *gr.* 10.—*gr.* 24.
Sanguis draconis ..... *gr.* 5.—*scr.* 1.
Quercus.
Gallæ.

III. *Indurantia.*

Alcohol.
Acidum vitrioli. dilutum .. *gt.* 10.—*gt.* 20.

IV. *Tonica.*

Exercitium.
Frictio.

CLASS XVI.

CORROSIVA.

ORDERS.

I. *Erodentia.*

Cuprum vitriolatum.
Allumen ustum.

II. *Caustica.*

Argentum nitratum.
Acidum vitriolicum.

CLASS XVII.

DEMULCENTIA.

Gummi arabicum	*un.* 1.—*un.* 3.
Oleum amygdalarum	*dr.* 2.—*un.* ½.
Spermaceti	*gr.* 15.—*gr.* 60.
Althæa	*manip.* 1.—2.
Caricæ	*dr.* 4.—*un.* 1.
Malva	*manip.* 1.—2.
Lini semen	*dr.* 4.—*un.* 1.

CLASS XVIII.

STIMULANTIA.

ORDERS.

I. *Topica.*

Sinapi ..... *dr.* 1.—*dr.* 2.
Raphanus rusticus ..... *dr.* ½.—*scr.* 1.
Cantharides ..... *gr.* ½.—*gr.* 2.
Mercurii præparationes.

II. *Diffusibilia.*

Alkali volatile.
Calor.
Cinnamomum.
Nux moschata.
Vinum.
Electricitas.
Tinct. Opii ..... *gt.* 25.—*gt.* 50.

CLASS XIX.

ANTISPASMODICA.

ORDERS.

I. *Stimulantia.*

Alkali volatile.
Olea essentialia.
Spiritus vini.
Æther vitriolicus ..... *gt.* 30.—*gt.* 100.
Valeriana..... *gr.* 10.—*dr.* 2.
Asafœtida ..... *gr.* 20.—*gr.* 40.
Camphora ..... *gr.* 3.—*gr.* 24.
Moschus ..... *gr.* 8.—*gr.* 24.
Opium ..... *gr.* 1.—*gr.* 3.
Electricitas

II. *Tonica.*

Rhabarbarum ..... *gr.* 3.—*gr.* 5.
Cortex peruvianus ..... *gr.* 10.—*dr.* 2.
Ferrum..... *gr.* 10.—*gr.* 20.
Zincum. calcin..... *gr.* 4.—*gr.* 10.
Cuprum.
Exercitium.
V. *Astringentia.*

III. *Irritantia.*

Ipecacuanha ..... *gr.* 1.

CLASS I.

EMETICA.

FORMULÆ.

1. ℞
- Antim. tart. ..... *gr.* 5.
- Syr. papav. errat. .... *dr.* 1.
- Aq. font. ..... *un.* 6.

d. un. 1. 0. $\frac{1}{4}$. *h. usque ad vomitionem.*

2. ℞
- Antim. tart. ..... *gr.* 2.
- Ipecac. ..... *gr.* 10.

p. r. n. s.

3. ℞
- Vin. antimon. ..... *dr.* 4.
- Oxymel Scillæ..... *dr.* 6.

p. r. n. s.

4. ℞
- Oxymel Scillæ..... *un.* 2.

p. r. n. s.

5. ℞
- Oxymel Scillæ..... *un.* 2.
- Suc. raph. rust. ..... *un.* 1.

p. r. n. s.

6. ℞
- Vin. ipec. ..... *un.* 1.
- Syr. violar. ..... *dr.* 2.

v. s.

7. ℞
- Vin. ipec..... *un.* 1.
- Vin. antim. ..... *dr.* 1.
- Syr. viol. ..... *dr.* 2.

v. s.

8. ℞
- Antim. tart. ..... *gr.* 1.
- Ipecac. ..... *gr.* 6.
- Calomel ..... *gr.* 3.

v. s.

CLASS II.

CATHARTICA.

FORMULÆ.

9. R.
- Jalap. ..... *gr.* 10.
- Zinzib. ..... *scr.* 1.
- *c. m.*

10. R.
- Aloë soc. ..... *dr.* 12.
- Myrrh ..... *un.* 2.
- Croci ..... *un.* 1.
- Alkohol ..... *lb.* 2.
- *Digere. Cola. d. dr.* 4.—*un.* 1. *Sign. Elixir Proprietatis.*

11. R.
- Aloë soc. ..... *dr.* 12.
- G. guaiac. ..... *un.* 1.
- Pulv. arom.
- Bals. peruv. ..... *ā ā dr.* 4.
- Syr. cort. aur.
- *f. Pill. d. scr.* 1.

12. R.
- Aloë soc.
- Extr. gentian. ..... *ā ā dr.* 4.
- Calomel ..... *gr.* 24.
- Mucil. gum. arab. .... *q. s.*
- *f. Pill.* 11° 50 *d. Pill.* 2. *h. s.*

13. R.
- Aloë soc.
- Extr. gentian. ..... *ā ā dr.* 1.
- Ferri vitriolat. ..... *gr.* 15.
- Syr. rosæ ..... *q. s.*
- *f. Pill. d. gr.* 10. *h. s. s.*

FORMULÆ.

14. ℞.
Tinct. aloe.
——— Rhei ..... *ā ā dr.* 2.
——— Myrrh ..... *dr.* 1.
Aq. Menth. ..... *un.* 2.
f. Haust. mane sum.

15. ℞.
Aloë soc.
Sapon. alb.
Pil. Gummi ..... *ā ā un.* 1.
d. scr. 1. *h. s. s.*

16. ℞.
Aloë soc.
Colocynth.
Scammon. ..... *ā ā dr.* 1.
Extr. Jalap. ..... *dr.* 3.
Syr. simp. ..... *q. s.*
f. Pill. d. gr. 12. *h. s. s.*

17. ℞.
Scammon.
G. guaiac. ..... *ā ā scr.* 1.
Aq. cinnam.
Syr. rosæ ..... *ā ā dr.* 2.
f. haust. hydrag. m. s.

18. ℞.
Elaterii. ..... *gr.* $\frac{1}{4}$.
Extr. gentian. ..... *gr.* 4.
o. b. h. s.

19. ℞.
Flor. sulph.
Cremor tart. ..... *ā ā un.* 1.
Mel. ..... *q. s.*
f. Elect. d. dr. 1. *p. r. n.*

FORMULÆ.

20. R.
Elect. Senna.
Flor. Sulph. lot. ..... *ā ā gr.* 30.
Syr. Ros. ..... *q. s.*
f. Bol. c. bis die.

21. R.
Kali vitriolat.
Jalap.
Valer. sylv. ..... *ā ā dr.* 1.
Oxymel Scillæ..... *un.* 4.
d. dr. 4. *ter in die.*

22. R.
Calomelanos ..... *gr.* 5.—*gr.* 8.
Cons. ros. ..... *dr.* 1.
Alternis noctibus usque ad tertiam vicem.

23. R.
Rhei ..... *scr.* 1.
Jalap..... *gr.* 5.
Aq. cinnam..... *un.* 1.
Syr. e Cort. Aur..... *dr.* 1.
m. s.

24. R.
Rhei ..... *un.* 1.
Sennæ ..... *un.* 2.
Sem. fænic.
Bac. junip.
Scobis guaiac. ..... *ā ā dr.* 4.
Sacch. alb. ..... *un.* 4.
Sp. vin. gal. ..... *lb.* 3.
Digere. Cola. d. un. 1. *Elixir Salutis, vulgo Daffy's Elixir.*

FORMULÆ.

25. ℞.

Rhei		*un.* 1.
Sennæ		*dr.* 2.
Cardam.		
Coriand.	*ā ā*	*dr.* 1.
Croci,		
Coccinel.	*ā ā*	*scr.* 2.
Uvæ pass.		*un.* 3.
Sp. vin. gal.		*lb.* 1.
Digere. Cola. d. un. 2. p. r. n.		
Boerhaave's Gout Cordial.		

26. ℞.

Infus. Sennæ		*un.* 3.
Natron. vitriolat.		*dr.* 3.
Tinc. Sennæ.		
Syr. ros.	*ā ā*	*dr.* 2.
f. H.		

CLASS III.

DIAPHORETICA.

27. ℞.

Contrayerv.		*scr.* 1.
Syr. Croci.		*q. s.*
f. Pill. h. s. s.		

28. ℞.

G. Guaiac.		*scr.* 1.
Sal. C. C.		*gr.* 5.
Cons. rosar.		*scr.* 2.
h. s. s.		

FORMULÆ.

29. ℞.
- G. Guaiac.
- Sach. alb. ..... *ā ā dr.* 2.
- Extr. Gent. ..... *dr.* 1.
- Mucil. G. arab. ..... *q. s.*
- *f. Pill. d. gr.* 15.

30. ℞.
- Cort. rad. Mezerii recent. *un.* 1.
- Aq. font. ..... *cong.* 1½.
- *Coque ad Cong.* 1. *& adde*
- Glycyr. ..... *un.* 1.
- *d. un.* 6. *ter in die.*

31. ℞.
- Sulph. antim. præcip... *gr.* 10.
- Hydrargyr. c sulph..... *dr.* 2.
- Guaiac. ..... *scr.* 2.
- *f. pulv. No.* 10. *c.* 1. *p. m. & v.*

32. ℞.
- Sulph. antim. præcip... *dr.* 2.
- Calomel. ..... *scr.* 2.
- Ol. Sassafras ..... *gt.* 40.
- Extr. lig. guaiac..... *dr.* 7.
- Syr. papav. alb. ..... *q. s.*
- *f. Pili.* 80. *d. No.* 3. *o. n.*

33. ℞.
- Mist. Camph. ..... *un.* 1.
- Vin. Antimon. ..... *gt.* 40.
- *h. s. s.*

34. ℞.
- Camph. ..... *gr.* 5.
- Tart. emet. ..... *gr.* 1.
- Elect. è Scordio ..... *scr.* 1.
- *h. s. s.*

FORMULÆ.

35. ℞.
- Mosch. ..... *gr.* 10.
- Cons. ros. ..... *scr.* 1.
- *h. s. s.*

36. ℞.
- Mosch. (sach. alb. trit.) *gr.* 30.
- Aq. cinnam. ..... *un.* 6.
- *d. un.* 1.

37. ℞.
- Tinct. Opii. ..... *dr.* 1.
- Vin. antimon..... *dr.* 3.
- *d. gt.* 30. ad 120. *h. s.*

38. ℞.
- Tinct. Opii. ..... *gt.* 40.
- Vin. ipec. ..... *dr.* 3.
- Aq. Ammon. Acetat..... *dr.* 4.
- Aq. rosar. ..... *un.* 1.
- Sacch. alb. ..... *dr.* 2.
- *h. s. s.*

39. ℞.
- Kali præpar. ..... *scr.* 1.
- Suc. limon. ..... *dr.* 4.
- Aq. cinnam. ..... *un.* 1.
- Syrup. papav. errat..... *dr.* 1.
- *p. r. n. s.*

CLASS IV.

DIURETICA.

FORMULÆ.

40. R.
- Sem. dauc. sylv.
- Bac. junip. ..... *ā ā dr.* 2.
- Aq. font. ..... *lb.* 1.
- *Digere. Cola. d. un. 2. o. n.*

41. R.
- Sem. dauc. sylv.
- Sapon. alb. ..... *ā ā dr.* 1.
- Millep. ppt. ..... *dr.* 1.
- Muc. gum. arab. ..... *q. s.*
- *f. Pill. d. ser. 1. o. n.*

42. R.
- Juniper bac. ..... *un.* 4.
- Vin. alb. ..... *lb.* 2.
- *Digere. d. un. 2. ter in die.*

43. R.
- Tereb. venet. ..... *dr.* 1.
- Mucil. g. arab. ..... *dr.* 4.
- Aq. puleg. ..... *un.* 6.
- Syr. e cort. aur. ..... *dr.* 4.
- *h. s. s.*

44. R.
- Tinct. cantharid. ..... *gt.* 30.
- Infus. cort. per. ..... *un.* 1.
- Aq. N. M.
- Syr. cort. aurant. ..... *ā ā dr.* 1.
- *bis in die.*

45. R.
- Kali. ..... *gr.* 10.
- Rhei. ..... *scr.* 1.
- Ol. juniper. ..... *gt.* 4.
- *h. s. s.*

FORMULÆ.

46. ℞.
- Kali.
- Jalap.
- Raphan. rust. ..... *ā ā un.* 1.
- Ciner. genist.
- Millep. ..... *ā ā un.* 2.
- Vin. rhen. ..... *lb.* 4.

Digere. Cola. d. un. 2.

47. ℞.
- Oxymel Scillæ ..... *dr.* 3.
- Conf. arom. ..... *scr.* 1.
- Aq. fæniculi. ..... *un.* 1.
- Aq. cinnam. ..... *dr.* 1.

c. m.

48. ℞.
- Scillæ exsic. ..... *gr.* 4.
- Sapon. alb. ..... *scr.* 1.

c. m. & v.

49. ℞.
- Scill. recent. ..... *gr.* 10.
- Ammon. pulv..... *gr.* 15.
- Pulv. tragac. c. ..... *gr.* 5.

f. Bolus. 6. *ter in die. s.*

50. ℞.
- Tinct. scill. ..... *gt.* 30.
- Aq. cinnam. ..... *un.* 1½.
- Syr. caryoph. rubr.... *dr.* 1.

f. Haustus. ter in die. s.

51. ℞.
- Oxymel Scillæ..... *dr.* 1½.
- Kali præparat..... *gr.* 10.
- Aq. cinnam..... *dr.* 6.
- Tint. Lavend. comp. .. *dr.* ½.

f. H. h. s. s.

CLASS V.

EPISPASTICA.

FORMULÆ.

52. R. { Lin. Sapon. comp. .... *un.* 1½.
Tinct. Canth. ..... *un.* ½.
f. Lin. quod. part. affect. infricetur.

CLASS VI.

EXPECTORANTIA.

53. R. { Oxymel Scillæ..... *dr.* 2.
Aq. cinnamon..... *un.* 1.
c. m.

54. R. { Scillæ recentis.
Gum. ammon..... *ā ā un.* 1.
Glycyr. ..... *q. s.*
f. Pill. d. scr. 1. *m. s.*

55. R. { Enulæ.
Glycyr.
Flor. sulph..... *ā ā un.* 1.
Mel. ..... *un.* 4.
c. M. N. M. ter in die.

56. R. { Serm. ceti. (v. o. s.).... *dr.* 2.
Lac. ammon. ..... *dr.* 8.
Syr. croci. ..... *dr.* 6.
d. un. 1. *ter in die.*

CLASS IX.

EMMENAGOGA.

FORMULÆ.

57. ℞.
- Tinct. cantharid. ..... *gt.* 20.
- Aq. Pulegii. ..... *dr.* 12.
- Syr. croci. ..... *dr.* 1.
- *h. s. s.*

58. ℞.
- Pil. ex aloë cum myrrha *scr.* 2.
- Pil. gummi.
- Asafœtid..... *ā ā dr.* 1.
- Calomel..... *scr.* 1.
- *f. Pill.* 40. *c. Pill.* 1. *h. s.*

59. ℞.
- Pil. ex aloë cum myrrha *un.* 1.
- Ferri vitriolat. ..... *dr.* 1.
- *f. Pill. d. scr.* 1. *h. s.*

60. ℞.
- Tinct. aloë comp.
- Tinct. ferri muriati .... *ā ā dr.* 2.
- Tinct. hellebori nigri.... *dr.* 4.
- *d. dr.* 1. *m. & v.*

61. ℞.
- Fer. ammoniac.
- Pulv. aromat..... *ā ā gr.* 10.
- *h. s. s.*

62. ℞.
- Fer. vitriolat..... *dr.* 1.
- Sach. alb. ..... *un.* 2.
- *d. dr.* 1. *ter in die.*

63. ℞.
- Fer. vitriolat..... *gr.* 15.
- Aloë soc.
- Asafœtid.
- Extr. gent. ..... *ā ā dr.* 2.
- Syr. cort. aurant. ..... *q. s.*
- *f. Pill. d. gr.* 10. *h. s.*

CLASS X.

ANTHELMINTICA.

I. *Teretes.*

FORMULÆ.

64. ℞
- Calomel ..... *gr.* 10.
- Rhei ..... *gr.* 16.

m. s.

65. ℞
- Hydrarg. e. sulphure.
- Santonici ..... *ā ā dr.* 2.
- Sabinæ ..... *scr.* 1.
- Corallinæ ..... *dr.* 1.
- Syr. eort. aur. ..... *q. s.*

f. Pill. d. scr. 1. *m. & v.*

66. ℞
- Stanni. ..... *un.* 1.
- Theriae. ..... *un.* 4.

d. un. 1. *o. m.*

67. ℞
- Spigeliæ ..... *dr.* 12.
- Aq. font. ..... *lb.* 3.

f. Infusio. d. un. 6. *m. & v.*

68. ℞
- Santoniei.
- Rhei.
- Corallinæ.
- Cor. cervi ust. ..... *ā ā dr.* 1.

d. gr. 24. *o. m.*

69. ℞
- Sapo. alb. ..... *un.* 1.

o. m. ad 10^{m} *vicem.*

70. ℞
- Rhei ..... *gr.* 5.
- Flor. chamæmel. ..... *scr.* 1.

o. m. s.

II. *Ascarides.*

FORMULÆ.

71. ℞.
Calomelanos ..... *gr.* 8.
Aloë soc.
Ferri vitriolati ..... *ā ā dr.* ½.
Extr. gent. ..... *dr.* 1½.
Syr. Com. ..... *q. s.*
f. Pill. 36. *c.* 3. *ter in die.*

III. *Tænia.*

72. ℞.
Calomel.
Pil. rufi. ..... *ā ā gr.* 10.
Ol. absinth. essent. .... *gt.* 2.
Pulv. Jalap. ..... *gr.* 10.
Syr. Com. ..... *q. s.*
f. Pill. 5. Primo mane sum. et horâ unâ elapsâ repetantur. Et omni semihorâ capt. quadrantem partem sequentis misturæ cum plenâ potione decocti avenacei.

73. ℞.
Ol. Ricini. ..... *un.* 1½.
Vitel. ov. ..... *q. s.*
Solut. Ol. absinth. .... *gt.* 8.
Optime terantur simul et adde Aq. Manth. Piper. Tinct. Cardam. comp. *un.* 1.—Syr. Zinzib. *un.* ½.

74. ℞.
Gambog. ..... *gr.* 2.
Calomel. ..... *gr.* 5.
Jalap ..... *gr.* 10.
m. s.

FORMULÆ.

75. ℞.
- Gambog..... *gr.* 7.
- Seamnion.
- Calomel..... *ā ā gr.* 10.
- Syr. cort. aurant. ..... *q. s.*
- *f. Bol. mane sum.*

CLASS XI.

LITHONTHRIPTICA.

76. ℞.
- Uvæ Ursi ..... *un.* 1.
- Cons. ros. rub. ..... *un.* 2.
- Syr. ros. ..... *q. s.*
- *f. Elect. d. dr.* 2. *ter in die.*

CLASS XIII.

ATTENUANTIA.

77. ℞.
- Spongiæ ust. ..... *un.* 3.
- Syr. althææ ..... *q. s.*
- *f. Trochisci* 60.
- Horum unus h. s. linguâ suppositus, ibi per noctem lente deliquescat.
- Troches for the *Bronchocele.*

78. ℞.
- Spongiæ ust. ..... *dr.* 1.
- Cons. samb. ..... *gr.* 30.
- Syr. simp. ..... *dr.* 2.
- *f. Bol. c. bis in die.*

CLASS XIV.

ANTISEPTICA.

FORMULÆ.

79. ℞.
Decoct. cort. Per..... *dr.* 12.
Tinct. cort. Per. comp... *dr.* 2.
Pulv. cort. Per. ..... *scr.* 1.
Syr. cort. aur..... *dr.* 1.
q. h. s.

80. ℞.
Decoct. cort. Per. ..... *un.* 8.
Conf. aromat..... *dr.* 2.
Tinct. serpent. ..... *dr.* 4.
Aq. cinnam. ..... *dr.* 12.
Syr. croci. ..... *dr.* 4.
d. un. 2. 4. *q. h.*

81. ℞.
Cort. Per. ..... *un.* 5.
Myrrh ..... *un.* 1.
Sp. vin. tenui. ..... *lb.* 2.
Digere. cola. d. dr. 4. *ter in die.*
Addendo superioribus.
Acid vitriol. dilut. *gt.* 10. *ad gt.* 20.
p. r. n.

82. ℞.
Suc. limon..... *dr.* 4.
Kali.
Confect. arom. ..... *ā ā scr.* 1.
Syr. tolut. ..... *dr.* 1.
Aq. cinnamom ..... *un.* 1.
q. h. s.

83. ℞.
Mist. camph..... *un.* 1.
Tinct. asafœtid..... *dr.* 2.
Aq. ammoniæ acetat.... *dr.* 3.
Syr. croci. ..... *dr.* 1.
q. h. s.

CLASS XV.

ASTRINGENTIA.

FORMULÆ.

84. R.
- Aluminis ..... *scr.* ½.
- Cons. ros. r. ..... *scr.* 1.
- Syr. simp. ..... *scr.* ½.
- *f. Bol. bis die.*

58. R.
- Alum ..... *gr.* 30.
- Sang. dracon. ..... *dr.* 1.
- Syr. ros. ..... *q. s.*
- *f. Pill.* n° 28. *c. Pill. 3. ter in die.*

86. R.
- Alum ..... *dr.* 2.
- Cort. Per. ..... *un.* 1.
- Conserv. ros. ..... *dr.* 12.
- Syr. ros. ..... *q. s.*
- *f. Elect. c. M. N. M. ter in die.*

87. R.
- Limat. ferri.
- Ter. japon. ..... *ā ā dr.* 3.
- Cort. Per. ..... *un.* 2.
- Syr. zinzib. ..... *q. s.*
- *f. Elect. c. M. N. M. ter in die.*

88. R.
- Ferri rubig.
- Cort. Peruv. ..... *ā ā un.* 1.
- Spec. arom. ..... *dr.* 4.
- Cons. cort. aur. ..... *un.* 2.
- Syr. cort. aur. ..... *q. s.*
- *f. Elect. c. M. N. M. ter in die.*

FORMULÆ.

89. ℞.
Ferri vitriolat.
Myrrh.
Flor. chamæmel ..... *ā ā gr.* 10.
bis die s.

90. ℞.
Ter. japon..... *un.* 3.
Cons. ros. ..... *un.* 12.
Alum.
Elix. vitriol. acid. .... *ā ā un.* 1.
Syr. Papav. err..... *q. s.*
f. Eleet. c. dr. 1. *ter in die.*

91. ℞.
Zinc. vitriolati ..... *gr.* 25.
Rhei. ..... *gr.* 5.
Tereb. venet..... *q. s.*
bis d. s.

92. ℞.
Cort. Peruv.
Confect. aromat. ..... *ā ā scr.* 1.
Aq. cinnam. ..... *dr.* 12.
Spirit. cinnam.
Syr. cort. aur. ..... *dr.* 1.
m. s.

93. ℞.
Tinct. cort. Per. comp. *dr.* 1.—*dr.* 3.
bis in die.

94. ℞.
Tinct. cort. Per. comp. *un.* 1.
Vin. ferri. ..... *dr.* 4.
c. dr. 4. *ter in die.*

95. ℞.
Tormentil.
Cort. Peruv.
Glycyr. ..... *ā ā un.* 1.
Syr. cort. aur. ..... *q. s.*
f. Elect. d. M. N. M. ter in die.

V. ANTISEPTICA *tonica.*

CLASS XVII.

DEMULCENTIA.

96. ℞.
G. arab.
— trag. ..... *ā ā un.* 1.
Aq. font. ..... *lb.* 6.
Syr. ex alth. ..... *un.* 4.
c. cochl. 3. *ter in die.*

97. ℞.
G. arab. ..... *un.* 1.
Aq. font. ..... *un.* 3.
Cola. adde.
Sach. alb. ..... *dr.* 4.
c. dr. 1. *urgente Tussi.*

98. ℞.
Amygd. dulc. ..... *no.* 15.
Ol. amygd. ..... *un.* 1.
Gum. arab.
Sach. alb. ..... *ā ā dr.* 2.
Aq. cinnam. ..... *un.* 8.
d. un. 1. *p. r. n.*

FORMULÆ.

99. R.
- Ol. amygd. ..... *un.* 2.
- Syr. viol.
- Syr. tolut. ..... *ā ā un.* 1.
- Sach. alb. ..... *dr.* 2.
- *f. Troch. p. r. n. s.*

100. R.
- Ol. amygd.
- Syr. viol. ..... *ā ā un.* 1.
- Sperm. ceti. ..... *dr.* 2.
- Cons. ros. ..... *dr.* 4.
- *p. r. n. s.*

101. R.
- Ol. amygd. ..... *dr.* 3.
- Liq. vol. C. C. ..... *gt.* 30.
- Syr. tolut. ..... *dr.* 1.
- Aq. distil. ..... *dr.* 12.
- 6. *q. h. s.*

102. R.
- Sperm. ceti. (v. o. s.) ... *gr.* 30.
- Suc. limon. ..... *dr.* 3.
- Sal. C. C. ..... *gr.* 8.
- Sp. N. M. ..... *dr.* 3.
- Syr. tolut. ..... *dr.* 1.
- Aq. distil. ..... *dr.* 12.
- 6. *q. h. s.*

103. R.
- Caric.
- Uvar. pass.
- Althææ ..... *ā ā un.* 1.
- Glycyr. ..... *dr.* 2.
- Aq. bul. ..... *lb.* 2.
- *f. Infusio. d. un.* 2. *p. r. n.*

CLASS XVIII.

STIMULANTIA.

FORMULÆ.

104. R.
- Sinapi.
- Cons. ros. ..... *ā ā un.* 1.
- Syr. zinzib. ..... *q. s.*
- *f. Elect. p. r. n. s.*

105. R.
- Raph. rust.
- Sinapi. ..... *ā ā un.* 4.
- Aq. bulb. ..... *lb.* 4.
- *f. Infus. d. un.* 4. *ter in die.*

106. R.
- Raph. rust.
- Sinapi. ..... *ā ā un.* 2.
- Canell. alb. ..... *dr.* 6.
- Aq. bul. ..... *lb.* 3.
- Col. add. aq. sem. carui. *un.* 4.
- *c. un.* 4 *bis die.*

CLASS XIX.

ANTISPASMODICA.

107. R.
- Asafœtid. ..... *dr.* 2.
- Ol. anisi. ..... *gt.* 30.
- *d. gr.* 24. *p. r. n. s.*

108. R.
- Camphor. ..... *gr.* 10.
- Gum. arab. ..... *scr.* 1.
- Syr. Papav. alb. ..... *q. s.*
- *f. Bol. p. r. n. s.*

FORMULÆ.

109. ℞.
- Mosch. ..... *scr.* 2.
- Gum arab. ..... *dr.* 1.
- Aq. ros. ..... *un.* 6.
- Syr. papav. alb. ..... *dr.* 4.
- *d. un.* 1. *p. r. n. s.*

110. ℞.
- Mist. moschat. ..... *dr.* 4.
- Æther. vitr. ..... *gt.* 30.
- *p. r. n. s.*

111. ℞.
- Mosch. ..... *gr.* 20.
- Asafœtid.
- Camph. ..... *ā ā scr.* 2.
- Tinct. opii. ..... *gt.* 30.
- Syr. papav. alb. ..... *q. s.*
- *f. Pill.* N° 20. *d. Pill.* 5. *m. & v. s.*

112. ℞.
- Valerian. ..... *dr.* 2.
- Aq. cinnam. ..... *un.* 2.
- Aq. N. M.
- Syr. croci. ..... *ā ā dr.* 1.
- *m. & v. s.*

113. ℞.
- Valerian.
- Cort. Peruv. ..... *ā ā dr.* 6.
- Rhei.
- Pulv. arom. ..... *ā ā scr.* 2.
- Syr. cort. aur. ..... *q. s.*
- *f. Elect. de M. N. M. ter in die.*

APPENDIX.

1. *Gas oxygenium.*
2. *Gas azoticum.*
3. *Gas hydrogenium.*
4. *Gas acidum carbonicum.*

These factitious airs promise, under the skilful management of Dr. BEDDOES at the Hot Wells, Bristol, and especially under Dr. THORNTON in London, to be a remedy well worthy public attention.

The *oxygene air*, in a properly diluted state, is a stimulus the most natural and diffusive. It promotes the insensible perspiration, greatly aids digestion, favours sleep, exhilarates the spirits, and relieves difficult respiration. It is found of the highest use in the low nervous fever. The *azotic air* abates inflammation, and with the *hydrogene air* seems to be capable of arresting the progress of consumption. The *carbonic acid air* is a most powerful antiseptic.

These Gases are frequently useful adjunets to the powers of other medieines, and combined perform eures, where neither would alone. Vide BEDDOES's "*Considerations relative to Factitious Airs*," and THORNTON's "*Philosophy of Medicine.*"

A

GENERAL INDEX;

TO THE

THERAPEUTICS.

THE ABBREVIATIONS.

ā ā	Uniuscujusque	*Equal quantities.*
c.	capiat.	*Let him take.*
C. C.	Cornu Cervi.....	*Hartshorn.*
F.	Formula	*The Prescription.*
d.	Dosis	*The Dose.*
dr.	Drachma	*A Drachm.*
gr.	Granum	*A Grain.*
gt.	Gutta	*A Drop.*
h. s.	Horâ somni	*Bed-time.*
m.	Mane	*The Morning.*
M. N. M.	Magnitudinem Nucis Moschatæ	*The size of a Nutmeg.*
o. h.	Omni hora	*Each Hour.*
o. 2. h.	Omnibi hora	*Every two Hours.*
6. q. h.	Sex'â quâque horâ	*Every six Hours.*
p. r. n.	Pro re natâ	*As occasion may require*
q. s.	Quantum sufficit.....	*As much as is sufficient.*
℞.	Recipe	*Take of.*
s.	Sumendus	*To be taken.*
scr.	Scrupulus.....	*A Scruple.*
un.	Uncia	*An Ounce.*
v.	Vespere	*The Evening.*
v. o. s.	In ovi vitello solutus.....	*Dissolved in the ~~White~~ of an Egg.*

THE CLASSES.

		CLASS
Anthelmintica	from ἀντι, *against*; and ελμινς, *a worm*	X
Antiseptica	ἀντι, *against*; and σηπω, *to corrupt*	XIV
Antacida	ante, *against*; and acidus, *sour*	XII
Antispasmodica	ἀντι, *against*; and σπαω, *to contract*	XIX
Astringentia	astringo, *to bind*	XV
Attenuantia	attenuo, *to make thin*	XIII
Cathartica	καθαιρω, *to purge*	II
Corrosīva	corrodo, *to corrode*	XVI
Demulcentia	demulceo, *to assuage*	XVII
Diaphoretĭca	διαφερω, *to pass through the pores*	III
Diuretĭca	δευρεω, *to make water*	IV
Emmenagōga	εν, *in*; μην, *the menses*; and αγω, *to draw*	IX
Epispastica	επι and σπαω, to draw	V
Errhīna	εν, *in*; and ρις, *the nose*	VII
Expectorantia	ex, *out*; and pectus, *the breast*	VI
Lithonthriptica	λιθος, *a stone*; and θρυπτω, *to break*	XI
Sialagōga	σιαλον, *saliva*; and αγω, *to force*	VIII
Stimulantia	stimulo, *to stimulate*	XVIII

THE

MEDICINES.

A		Class.	Or.
Æther vitriolicus	*Vitriolic Æther* .... *Vide* F. 110.....	XIX	I
Absinthium	*Wormwood*	XIV	I
Acetosa	*Sorrel*	IV	II
Acetum	*Vinegar*	IV	II
Acidum vitriolicum	*Vitriolic Acid* ..... *V.* F. 81	XV XVI	III II
Aloe socotōrina	*Socotorine Aloes* ..... *V.* F. 10, 11, 12, 13, 14, 15 58, 59, 60.	II IX	I I
Alūmen ustum	*Burnt Allum* ..... *V.* F. 84, 85.	XVI	I
Alkohol	*V.* F. 10.	XIV XV	III III
Alkalīna	*Alkali*	XII XIII	II II
Alkali volatile	*Volatile Alkali*	XVIII XIX	II I
Allium	*Garlic*	VI	I
Althæa	*Marshmallow* ..... *V.* F. 103	XVII	I
Amygdala dulcis	*Sweet Almond* *V.* F. 98.		
Ammoniacum gummi-resina	*Gum-resin of Ammoniacum.* *V.* F. 54.		
Ammonia	*V.* F. 45.	XII	II
Ammoniacum	*Gum Ammoniacum* ... *V.* F 49	VI	I
Angelica	.....	VIII	I

		Class.	Or.
Antimonium tartarisātum	*Tartarised Antimony*	I	I
	Olim Tartar Emetic	II	II
	V. F. 1, 2. 8. 22.....	IV	I
Apĭum	*Parsley*.....	IV	I
Aqua.....	*Water*	III	IV
—— ammoniæ acetatæ	*Water of Ammonia.*		
	V. F. 58. 73.		
—— cinnamomi ..	*Cinnamon Water.*		
——.calcis	*Lime Water*	X	IV
		XI	I
—— fœniculi	*Fennel Water*		
—— kali puri	*Water of pure Kali* ..	XI	I
—— mephitica alkalina	.....	XI	I
——nucis moschatæ	*Nutmeg Water.*		
—— pulegii	*Pennyroyal Water.*		
—— rosārum	*Rose Water.*		
Aromatic powder ...	*V.* Pulvis aromaticus.		
Argentum nitrātum	*Nitrated Silver*.....	XVI	II
Arnĭca	*Leopard's Bane*	III	I
Arsenĭcum	*Arsenic*.....	XV	I
Asafœtida	*V.* F. 107. 111.	IX	III
		XIV	III
		XIX	I
Asărum	*Asarabacca*	I	I
		VIII	I

B

Baccus juniperi....	*Juniper Berry.*		
	V. F. 24. 40. 42.		

		Class.	Or.
Balsamum Peruvianum	*Balsam of Peru.* V. F. 11.		
Bearsfoot	V. Uva Ursi.		
Beet	V. Beta		
Berberis	*Barberry*	IV	II
Beta	*Beet*	VII	I
Betonica	*Betony*	VII	I
Bitter apple	V. Colocynthis.		
Broom tops	V. Genistæ Cacumina.		
	C		
Calomēlas	*Calomel* V. F. 8. 12. 52. 58. 64. 71.	II III	I II
Calor	*Warmth*	XVIII	II
Camphora	*Camphor.* V. F. 84. 94. 97.	III XIV XIX	III III I
Camphorated mixture	V. Mistura Camphorata.		
Cantharides	*Spanish Fly*	IV V IX XVIII	I II I I
Carica	*The Fig*	XVII	I
Cardamōmum	*Cardamon Seed.* V. F. 25.		
Castoréum		IX	III
Cineres genistæ	*The Ashes of Broom.* V. F. 46.		
Cinchona	V. Cortex Peruvianus.		
Cinnamomum	*Cinnamon*	XVIII	II
Coukage	V. Stizolobium.		
Coccinella	*Cochineal.*		
Colchicum	*Meadow Saffron*	IV	I

		Class.	Or.
Coltsfoot	*V.* Tussilago.		
Conserva rosarum..	*Conserve of Roses.*		
Coriandrum	*Coriander.*		
Cornu cervi ustum	*Burnt Hartshorn.*		
Cortex Peruvianus	*Peruvian Bark*	XIV	I
	V. F. 81. 86. 88.	XV	II
	92.	XIX	I
Cortex radicis mezerei	*The Bark of the Mezereon Root*	V	I
	V. F. 30.		
Corporis exercitio..	*Bodily Exercise*	IX	II
Corallina	*Coral.*		
	V. F. 65. 68.		
Conserva corticis aurantii	*Conserve of Orange peel.*		
Confectio aromatica	*Aromatic Confection.*		
Contrayerva	*V.* F 27.	III	I
Cōlocynthis	*Bitter Apple*.....	II	I
	V. F. 16.		
Cuprum	*Copper*	XV	I
		XIX	II
Cuprum vitriolatum	*Vitriolated Copper* ..	XVI	I
Chamæmēlum	*Chamomile*	I	I
		XIV	I
Cremor tartari	*Cream of Tartar.*		
	V. F. 19.		
Creta præparata ..	*Prepared Chalk*	XIII	II
Crocus	*Saffron.*		

D

Dandelion	*V.* Taraxicum.		
Daucus sylvestris ..	*Wild Carrot*.....	IV	I

		Class.	Or.
Decoctum corticis Peruviani	*Decoction of Peruvian Bark.* *V.* F. 79.		
Diæta lauta	*A full Diet*	IX	II
Digitālis	*Foxglove*	I II	III VI
Dragon's Blood	*V.* Sanguis Draconis.		
	E		
Euphorbium	.....	VII	I
Elatērium	*Wild Cucumber*.....	II	I
Electricitas	*Electricity*	IX XVIII XIX	I II I
Electuarium e scordio	*Electuary of Water-germander.* *V.* F. 20.		
Enŭla.....	*Elecampane* ..... *V.* F 50.....	VI	I
Exercitium	*Exercise.*	XIX	II
Extractum gentiānæ	*Extract of Gentian.* *V.* F. 12, 13. 17. 25.		
Extractum jalapii..	*Extract of Jalap.* *V.* F. 16.		
Extractum ligni guaiaci.....	*Extract of Guaiacum Wood* *V.* F. 32.		
	F		
Ferrum	*Iron*	XIX	II
Ferri rubigo	*Rust of Iron*..... *V.* F. 88.....	IX XV	II I
—— limatura	*Filings of Iron*	XV	I
Ferrum ammoniacale	*Ammoniacal Iron* .... *V.* F. 61.	XV	I

		Class.	Or.
Ferrum vitriolatum	*Vitriolated Iron* .... *V.* F. 13. 59. 62. 71. 89.	X XV	I I
Filings of Iron	*V.* Limatura Ferri.		
Filix	*Fern Root*	X	I
Foxglove	*V.* Digitalis.		
Flores chamæmeli..	*Chamomile Flowers.*		
—— sulphuris	*Flowers of Sulphur* .. *V.* F. 19. 55	II	III
French Brandy	*V.* Spiritus Vini Gallici		
Fructus et vegetabilia	*Fruits and Vegetables.*	XIII	II
	G		
Gallæ	*Galls*	XV	II
Gambogia	*Gamboge* ..... *V.* F. 74	II X	I V
Garlic	*V.* Allium vel Theriaca.		
Genistæ cacumina	*Broom Tops*	IV	I
Ginger	*V.* Zingiber.		
Gummi Arabicum	*Gum Arabic.*		
Guaiacum gummi-resina.....	*Gum-resin of Guaiac*.. *V.* F. 11. 17. 24, 25. 28.	II III	II I
Glycyrrhiza	*Liquorice* ..... *V.* F. 26. 49, 50. 88. 90.	VI	II
	H		
Hellebörus	*Hellebore*	VII X	I I
Henbane.....	*V.* Hyoscyamus.		
Honey	*V.* Mel.		
Horehound	*V.* Marrubium.		
Horse-radish	*V.* Raphanus Rusticanus.		
Hyoscyamus	*Henbane*	II	IV

		Class.	Or.
Hydrargyrus vitriolatus	*Vitriolated Quicksilver*	I	I
——— cum sulphure	*Quicksilver with Sulphur* ... *V. F. 31. 65.*	X	I
———	*Mercury*	IX XIII	I II

I

Indian pink	*V.* Spigelia.		
Infusio corticis Peruviani	*Infusion of Peruvian Bark.* *V. F. 44.*		
Ipecacuanha	*V. F. 2. 8.*	I III	I III
Jalapium	*Jalap* ... *V. F. 9. 21. 23. 72.*	II	I
Japan Earth	*V.* Terra Japonica.		
Juniperi cacumina	*Juniper Tops*	IV	I

K

Kali præparatum	*Prepared Kali* ... *V. F. 45.*	IV	II
——— tartarisatum			
——— acetatum	*Acetated Kali*	IV	II
——— vitriolatum	*Vitriolated Kali*	II	III

L

Lac ammoniaci	*Milk of Ammoniacum* *V. F. 56.*		
Leopard's bane	*V.* Arnica.		
Lemon juice	*V.* Succus Limonis.		
Liquorice	*V.* Glycyrrhiza.		
Limatura	*Filings of Iron*	IX X	II IV
Lime water	*V.* Aqua Calcis.		

		Class.	Or.
Lini semen	*Linseed*.....	XVII	I
Liquor volatilis cornu cervi.....	*The Volatile Liquor of Hartshorn*.....	III	III

M

Madder	*V.* Rubia.		
Magnesia	.....	XII	I
Manna	.....	II	V
Marrubium	*Horehound*	VI	I
Meadow Saffron....	*V.* Colchicum.		
Mel	*Honey.*		
Mercurial Ointment	*V.* Unguentum Hydrargyri.		
Mercury.....	*V.* Hydrargyrus.		
Millĕpedæ præparatæ	*Prepared Woodlice.*		
Mistura camphorata	*Camphorated Mixture.*		
Moschus	*Musk* ..... *V.* F 55, 56.	III XIX	III I
Mucilago gummi arabici	*V.* F. 12. 89.		
Mustard.....	*V.* Sinapi.		
Myrrha	*Myrrh* ... . *V.* F 10. 81. 89.	IX	III

N

Natron vitriolatum	*Vitriolated Natron* ...	II	III
Nicotiana	*Tobacco*	I II VII VIII	III VI I I
——— fumus ...	*Smoke of Tobacco* ...	VI	I
Nitrum	*Nitre*	IV	II
Nux moschatæ	*Nutmeg*	XVIII	II

O		Class.	Or.
Oak	*V.* Quercus.		
Oleum amygdalarum	*Oil of Almonds*	XVII	I
—— anisi	*Oil of Anise.*		
Olea essentialia....	*Essential Oils*	XIX	I
Oleum juniperi....	*Oil of Juniper.*		
—— olivarum ..	*Olive Oil*	X	I
—— ricini.....	*Castor Oil*	II X	V III
—— terebinthina	*Oil of Turpentine*....	XIV	III
Opium	.....	III XIX	III I
Oxymel scillæ	*Oxymel of Squills* *V.* F. 3, 4, 5. 21. 47. 51.		

P

Parsley	*V.* Apium.		
Pediluvium	*Bathing of the Feet* ..	IX	III
Piper	*Pepper*	VIII	I
Pilula ex aloë cum myrrha	*Aloetic Pills with Myrrh.* *V.* F. 58, 59.		
—— ex hydrargyri	*Mercurial Pills*	VIII	II
—— gummi.....	*Gum Pills.* *V.* F. 15 53.		
Pulvis tragacanthæ compositus	*Compound Powder of Tragacanth.* *V.* F. 41.		
—— aromaticus ..	*Aromatic Powder.*		
—— corticis Peruviani	*Peruvian Bark in Powder.* *V.* F. 81.		
Prepared oyster shells	*V.* Testæ ostreorum, pp.		

		Class.	Or.
	Q		
Quercus	*Oak*	XV	II
	R		
Raisins	*V.* Uvæ passæ.		
Raphanus Rusticanus.....	*Horse-radish*	I	II
		V	I
		XVIII	I
Rubia	*Madder*	IX	I
Rheum vel	*Rhubarb*	IV	V
Rhabarbarum	*V.* F. 23, 24. 41. 59.	II	IV
	64. 68	IX	V
Rhubarb.....	*V.* Rheum.		
	S		
Sabina	*Savin*	IX	I
	V. F. 65.....	X	IV
Saccharum album	*Refined Sugar.*		
Sal cornu cervi	*Salt of Hartshorn.*		
Sal Prunellæ	*Purified Nitre*	VIII	I
Sales acidi et neutri	*Acid and Neutral Salts.*	XIV	II
Santonicum	*Wormseed*	X	IV
	V. F. 65. 69.		
Sanguis draconis ..	*Dragon's Blood*	XV	II
Sapo	*Soap*.....	X	V
		XI	I
		XII	I
		XIII	II
Semen dauci sylvestris	*Seed of the Wild Carrot*		
Senna	*V.* F. 24, 25.	II	I

		Class.	Or.
Semen fæniculi....	*Fennel Seed.* *V.* F. 24.		
Silver	*V.* Argentum.		
Simarouba.....	.....	XV	II
Sinăpi	*Mustard*	I V XVIII	II I I
Sorrel	*V.* Acetosa.		
Succus limonis	*Lemon Juice.*		
——— raphani rusticani	*The Juice of Horse-radish.* *V.* F. 5		
Sulphur antimonii præcipitatum....	*Precipitated Sulphur of Antimony.* *V.* F. 31.		
Scammonium	*Scammony* ..... *V.* F. 16, 17.	II X	I V
Scilla exsiccata	*Dried Squills.* ..... *V.* F. 48.	I IV VI VIII	I I I I
——— recens	*Fresh Squills.* *V.* F. 49.		
Scobī guaiaci	*Raspings of Guaiacum.* *V.* F. 24.		
Serum lactis	*Whey*	IV XIII	III I
Spermaceti	*V.* F. 56.....	VI XVII	II I
Spiritus vinosus tenuior	*Proof Spirit of Wine.*		
Spiritus vini	*Spirit of Wine*	XIX	I
Squills	*V.* Scilla.		
Spigēlia	*Indian Pink.* *V.* F. 67.		
Spiritus nucis moschatæ.....	*Spirit of Nutmeg.*		

		Class.	Or.
Spiritus vini Gallici	*French Brandy.*		
—— cinnamōmi	*Spirit of Cinnamon.*		
Stannum	*Tin* ..... *V.* F. 66.....	X	I
Stizolobium	*Cowhage*	X	II
Syrupus simplex ..	*Simple Syrup.*		
—— althææ....	*Syrup of Marshmallows.*		
—— corticis aurantii	*Syrup of Orange-peel.*		
—— caryophilli rubri	*Syrup of Clove July-flower.*		
—— croci.....	*Syrup of Crocus.*		
Syrūpus papaveris erratici	*Syrup of Wild Poppies.*		
—— papaveris albi	*Syrup of White Poppies.*		
—— Rosæ	*Syrup of Roses.*		
—— tolutānus ..	*Syrup of Tolu.*		
—— violarum ..	*Syrup of Violets.*		
—— zinziberis ..	*Syrup of Ginger.*		

T

Tanacētum	*Tansy*	X	IV
Taraxăcum	*Dandelion*	IV	I
Terra japonica	*Japan Earth.* *V.* F. 90.		
Terebinthĭna venēta	*Venice Turpentine.* *V.* F. 43 91.		
Terebinthĭna.....	*Turpentine*	IV	I
Testæ ostreorum præparatæ	*Prepared Oyster-shell*	XII	II
Tin	*V.* Stannum.		
Tinctura asafœtidæ	*Tincture of Asafœtida.* *V.* F. 85.		

		Class.	Or.
Tinctura aloë composita.....	*Compound Tincture of Aloes.* *V.* F. 60.		
—— opii	*Tincture of Opium.* *V.* F. 57, 58.		
—— cantharidis	*Tincture of Cantharides.* *V.* F. 44. 52. 57.		
—— corticis Peruviani composita	*Compound Tincture of Peruvian Bark.* *V.* F. 79. 93, 94.		
—— ferri muriati	*Tincture of muriated Iron.* *V.* F. 59.		
—— hellebori nigri	*Tincture of Black Hellebore.*		
—— scillæ	*Tincture of Squills.* *V.* F. 50.		
—— serpentariæ	*Tincture of Serpentaria.* *V.* F. 80.		
—— valerianæ ammoniāta	*Ammoniated Tincture of Valerian.* *V.* F. 112.		
Tormentilla	*Tormentil.*		
Turpentine	*V.* Terebinthina.		
Tussilago	*Coltsfoot*	VI	II
Theriaca	*V.* F. 66.		
V			
Valeriana	*Valerian* ..... *V.* F. 21.	XIX	I
Vapores.....	*Steams*	VI	II
Vesicatoria	*Irritating Plaisters* ..	VI	I
Vinegar	*V.* Acetum.		
Vinum	*Wine*	XVIII	II
—— album	*White Wine.*		

		Class.	Or.
Vinum Antimonii	*Antimonial Wine* .... *V.* F. 3. 6, 7. 33. 37.	III	II
—— Ipecacuanhæ	*Ipecacuanha Wine.* *V.* F. 6, 7. 38.		
U			
Unguentum hydrargyri mitius	*The Milder Mercurial Ointment*	VIII	II
—— hydrargyri fortius	*The Stronger Mercurial Ointment*	VIII	II
Uvæ passæ.....	*Raisins.*		
—— ursi	*Bear's foot.*	XI	II
W			
Wormwood.....	*V.* Absinthium.		
Wormseed	*V.* Santonicum.		
Wine	*V.* Vinum.		
Whey.....	*V.* Serum Lactis.		

THE

APPENDIX.

GENERAL POSOLOGICAL TABLE.

A

		DOSES.
Acetum Scillæ	*Vinegar of Squills* ..	gtt.10—gtt.50.
Acidum muriaticum	*Muriatic Acid*	gtt.15—gtt.40.
—— vitriolicum dilutum	*Diluted Vitriolic Acid*	gtt.10—gtt.30.
Æther vitriolicus ..	*Vitriolic Æther*	gtt 10—gtt.100
Aloe socotrina	*Socotrine Aloes* . ..	gr. 15—scr. 1.
Alumen.....	*Alum*	gr. 6—gr. 12.
Ammonia præparata	*Prepared Ammonia*	gr. 5—scr. 1.
Ammoniacum	*Gum Ammoniacum*..	gr. 10—gr. 15.
Antimonium.....	*Crude Antimony*....	scr. 1—dr. 1.
—— calcinatum	*Calcined Antimony*..	gr. 15—scr. 2.
—— tartarisatum	*Tartarised Antimony*	gr. 1—gr. 6.
—— vitrificatum cerat....	*Vitrified Antimony*..	gr. 2—gr. 10.
Aqua ammoniæ....	*Water of Ammonia*	gtt.10—gtt.30.
—— —— acetatæ	*Water of acetated Ammonia*	dr. 2—dr. 6.
—— anethi	*Dill-seed Water*....	un. 1—un. 2.
—— calcis.....	*Lime Water*	un. 4—lb. $\frac{1}{2}$.
—— cinnamomi ..	*Cinnamon Water* ..	un. 1—un. 4.
—— fœniculi	*Fennel Water*.....	un. 2—un. 4.
—— kali	*Water of prepared Kali*	gtt.20—gtt.60.
—— puri	*Water of pure Kali*	gtt.10—gtt.30.
—— menthæ piperitidis.....	*Peppermint Water* ..	un. 2—un. 4.

		DOSES.
Aqua pimento	*All-spice Water*	un. 2—un. 4.
—— pulegii	*Pennyroyal Water* ..	un. 2—un. 4.
—— Rosæ	*Rose Water*	ad libitum.
Arabicum Gummi	*Gum Arabic*	dr. 1—dr. 2.
Asafœtida	.....	gr. 10—scr. 1.

B

Balsamum canadense	*Canada Balsam*	gr. 15—gr. 30.
——— copaivæ	*Balsam of Copaiva*	gtt.20—gtt.40.
——— peruvianum	*Balsam of Peru*	gr. 6—gr. 25.
———tolutanum	*Balsam of Tolu*	scr. 1—dr. 1.

C

Calomelas	*Calomel*	gr. 3—gr. 10.
Camphora	*Camphor*	gr. 3—scr. 1.
Cantharis	*Cantharides*	gr. $\frac{1}{2}$—gr. 4.
Cardamomum	*Cardamom seeds*....	gr. 5—gr. 10.
Cascarilla	*Cascarilla Bark*	scr. $\frac{1}{2}$—dr. 1.
Castoreum	*Castor*	gr. 3—scr. 1.
Catechu.....	.....	gr. 15—scr. 2.
Chamœmelum	*Camomile*	scr. $\frac{1}{2}$—dr. 1.
Cicuta	*Hemlock*.....	gr. 5—scr. 1.
Cinchona	*Peruvian Bark*	scr. 1—dr. 2.
Colomba	.....	gr. 10—scr. 1.
Confectio aromatica	*Cordial Confection* ..	gr. 15—scr. 2.
——— opiata..	*Confection of Opium*	gr. 5—scr. 1.
Conserva absinthii maritimi	*Conserve of Sea Wormwood*.....	dr. 2—un. $\frac{1}{2}$.
——— ari	*Conserve of Cuckow-pint*	scr. 1—dr. 1.
——— corticis aurantii	*Conserve of Orange Peel*	ad libitum.
——— cynosbati	*Conserve of Hips*....	ad libitum.

		DOSES.
Conserva lujulæ ..	*Conserve of Wood-sorrel*	dr. 4—un. 1.
——— pruni sylvestris	*Conserve of Sloes* ..	dr. 1—dr. 3.
——— rosæ rubræ.....	*Conserve of Red Roses*	dr. 2—un. 1.
——— scillæ....	*Conserve of Squills*..	scr. 1—dr. 1.
Contrayerva	.....	gr. 10—dr. ½.
Coriandrum	*Coriander Seeds*	scr. 1—dr. 1.
Cornu cervi ustum	*Burnt Hartshorn*....	dr. ½—dr. 2.
Creta	*Chalk*.....	gr. 15—scr. 1.

D

Decoctum cinchonæ	*Decoction of Peruvian Bark*	un. 2—un. 6.
——— cornu cervi	*Decoction of Hartshorn*	un. 4—lb. ½.
——— hordei ..	*Simple Decoction of Barley*	un. 4—lb. ½.
——— compositum	*Compound Decoction of Barley*	un. 4—lb. ½.
——— sarsaparillæ	*Simple Decoction of Sarsaparilla*	un. 4—lb. ½.
——— compositum	*Compound Decoction of Sarsaparilla* ..	un. 4—lb. ½.
——— ulmi	*Decoction of Elm* ..	un. 4—lb. ½.
Digitalis	*Fox-glove*	gr. ½—gr. 2.

E

Elaterium	*The inspissated juice of the wild Cucumber*	gr. ½—gr. 3.
Electuarium cassiæ	*Electuary of Cassiæ*	dr. 1—dr. 6.
——— scammonii.....	*Electuary of Scammony*	scr. 1—dr. 6.
——— sennæ	*Electuary of Senna*	dr. ½—dr. 4.

		DOSES.
Extractum cacuminis genistæ	*Extract of Broom Tops*	scr 1½—dr. 1½.
——— cascarillæ	*Extract of Cascarilla*	gr. 10—scr.1½.
——— chamæmeli	*Extract of Camomile*	gr. 10—scr. 2.
——— cinchonæ	*Extract of Peruvian Bark*	gr. 10—scr.1½.
——— cum resina	*Extract of Bark with the Resin*	gr. 10—scr.1½.
——— colocynthidis compositum	*Compound Extract of Bitter Apple*	gr. 5—gr. 25.
——— gentianæ	*Extract of Gentian*	gr. 10—scr.1½.
——— glycyrrhizæ	*Extract of Liquorice*	dr. 1—dr. 4.
——— hæmatoxyli	*Extract of Logwood*	gr. 10—gr. 2.
——— hellebori nigri	*Extract of Black Hellebore*	gr. 2—gr 10.
——— jalapii	*Extract of Jalap*	gr. 10—scr. 1.
——— papaveris albi	*Extract of White Poppies*	gr. 1—gr. 5.
——— rutæ	*Extract of Rue*	gr. 10—scr. 1.
——— sabinæ	*Extract of Savin*	gr. 10—scr.1½.
——— senna	*Extract of Senna*	gr. 10—scr.1½.

F

Ferri rubigo	*Rust of Iron*	gr. 6—scr.1½.
Ferrum ammoniacale	*Ammoniacal Iron*	gr. 2—gr. 10.
——— tartarisatum	*Tartarized Iron*	gr. 2—gr. 10.
——— vitriolatum	*Vitriolated Iron*	gr. 1—gr. 6.
Filix	*Male Fern Root*	scr.1½—un. ½.
Flores benzoes	*Flowers of Benzoin*	gr. 10—scr. 1.
——— sulphuris	*Flowers of Sulphur*	scr. 1—scr.1½.

G

		DOSES.
Gambogia	*Gamboge*	gr. 2—gr. 12.
Genista	*Broom Tops*	scr. 1—lr. 1.
Gentiana	*Gentian*	gr. 10—dr. 1.
Ginseng.....	.....	gr. 10—dr. 1.
Glycyrrhiza	*Liquorice Root*	dr ½—dr. 6.
Guaiacum	.....	scr.1½—dr. 1.
Gummi resina	*Gum resin*	gr. 6—scr.1½.

H

Hæmatoxylum	*Logwood*	gr 10—dr. 1.
Helleborus niger ..	*Black Hellebore*	gr. 1—gr. 5.
Hydrargyrus	*Quicksilver*	un. ½—un 4.
——— acetatus	*Acetated Quicksilver*	gr. 1—gr. 10.
——— calci natu·	*Calcined Quicksilver*	gr. ½—gr. 2.
——— cum creta	*Quicksilver with Chalk*	gr. 5—scr. 1.
——— muriatus	*Muriated Quicksilver*	gr. ⅛—gr. ½.
——— cum sulphure	*Sulphurated Quicksilver*	scr. 1—dr. 1.
——— sulphuratus ruber.....	*Red sulphurated Quicksilver*.....	gr. 10—scr.1½.
——— vitriolatus	*Vitriolated Quicksilver*	gr. ½—gr. 4.

I

Infusum gentianæ compositum	*Compound Infusion of Gentian*	un. 2—un. 4.
——— rosæ	*Infusion of Roses* ..	un. 2—lb. ½.
——— sennæ	*Simple infusion of Senna*.....	un. 2—un. 4.

		DOSES.
Infusum sennæ tartarisatum	*Tartarised infusion of Senna*	un. 2—un. 4.
Ipecacuanha		gr. 10—scr. 1.
Iris	*Florentine Orris*	scr. 1—dr. 1.

J

Jalapium	*Jalap*	gr. 7—scr. ½.
Juniperus	*Juniper Berries*	scr. 1—dr. 1.

K

Kino		gr. 10—scr. 1½.
Kali præparatum	*Prepared Kali*	gr. 8—scr. 1.
—— acetatum	*Acetated Kali*	scr. 1—dr. 1.
—— tartarisatum	*Tartarised Kali*	dr. 2—dr. 6.
—— vitriolatum	*Vitriolated Kali*	dr. 2—dr. 6.

L

Lac ammoniaci	*Milk of Ammoniacum*	dr. 2—un. 1.
—— amygdalæ	*Milk of Almonds*	un. 2—un. 6.
Liquor volatilis cornu cervi	*Volatile Liquor of Hartshorn*	scr. 1½—dr. 2.

M

Magnesia alba	*White Magnesia*	scr. 1—dr. 2.
—— usta	*Burnt Magnesia*	scr. 1½—dr. 1.
—— vitriolata	*Vitriolated Magnesia*	dr. 2—dr. 6.
Manna		un. ½—un. 2.
Mel acetatum	*Acetated Honey*	dr. 1—dr. 2.
—— rosæ	*Rose Honey*	dr. 1—dr. 2.
—— scillæ	*Squill Honey*	scr. 1½—dr. 2.
Millepeda	*Woodlice*	dr. 1—dr. 3.

		DOSES.
Mistura camphorata	*Camphorated Mixture*	un. 2—un. 4.
——— cretacea	*Chalk Mixture*	un. 2—un. 4.
——— moschata ..	*Musk Mixture*	dr. 4—un. 2.
Mucilago amyli	*Mucilage of Starch* ..	dr. 1—un. 1.
——— arabici gummi	*Mucilage of Gum Arabic*	dr. 1—un. 1.
——— seminis cydonii mali	*Mucilage of Quince-seed*	dr. 1—un. 1.
——— tragacanthæ.....	*Mucilage of Tragacanth*	dr. 1—un. 1.
Myrrha	*Myrrh*	gr. 10—scr.1½.

N

Natron præparatum	*Prepared Natron* ..	gr. 10—scr.1½.
——— tartarisatum	*Tartarised Natron* ..	dr. 4—un. 1.
——— vitriolatum	*Vitriolated Natron* ..	dr. 6—un. 1.
Nitrum purificatum	*Purified Nitre*.....	gr. 5—scr. 1.

O

Oleum amygdalæ ..	*Oil of Almonds*	dr. 4—un. 1.
——— juniperi baccæ.....	*Oil of Juniper-berries*.....	gtt. 2—gtt.10.
——— lavendulæ ..	*Oil of Lavender*	gtt. 1—gtt. 5.
——— lini	*Oil of Linseed*	dr. 4—un. 1.
——— olivæ.....	*Oil of Olives*	dr. 4—un. 1.
——— ricini.....	*Castor Oil*	dr. 2—un. 1.
——— sinapeos ..	*Oil of Mustard*	dr. 4—un. 1.
Opium purificatum	*Purified Opium*	gr. ½—gr. 2.
Ostreorum testæ ..	*Oyster-shells*	scr. 1—dr. 1½.
Oxymel colchici ..	*Oxymel of Colchicum*	scr. 1—scr.1½.
——— scillæ.....	*Oxymel of Squills* ..	scr.1½—dr. 1.

		DOSES.
Pilula aloes composita	*Compound Pills of Aloes*	gr. 10—scr. 1.
—— cum Myrrha	*Pills of Aloes with Myrrh*	gr. 6—gr. 18.
—— galbani composita	*Compound Galbanum Pills*	gr. 10—scr. 1½.
—— hydrargyri	*Quicksilver Pills*	gr. 6—scr. 1.
—— opii	*Opium Pills*	gr 2—gr. 8.
—— scillæ	*Squill Pills*	gr. 10—scr. 1.
Pimento	*All-spice*	gr. 5—scr. 1.
Pulvis aloes cum canellâ	*Aloetic Powder with canella*	gr. 10—scr. 1.
—— cum ferro	*Aloetic Powder with Iron*	gr. 8—gr. 18.
—— cum guaiaco	*Aloetic Powder with Guaiacum*	gr. 10—scr. 1.
—— antimonialis	*Antimonial Powder*	gr. 3—gr. 6.
—— aromaticus	*Aromatic Powder*	gr. 5—scr. 1.
—— e chelis cancrorum compositus	*Compound Powder of Crab's Claw*	scr. 1½—dr. 1.
—— contrayervæ compositus	*Compound Powder of Contrayerva*	gr. 15—scr. 1½.
—— cretæ compositus	*Compound Powder of Chalk*	gr. 10—scr. 1.
—— compositus cum opio	*Compound Powder of Chalk with Opium*	gr. 10—scr. 2.
—— ipecacuanhæ compositus	*Compound Powder of Ipecacuanha*	gr. 18—scr. 1½.
—— Myrrhæ compositus	*Compound Powder of Myrrh*	gr. 15—scr. 1½.
—— opiatus	*Opium Powder*	gr. 5—scr. 1.
—— scammonii	*Compound Powder of Scammony*	gr. 10—scr. 1.
—— compositus cum aloe	*Powder of Scammony with aloe*	gr. 5—gr. 10.

		DOSES.
Pulvis scammonii cum calomelane	*Powder of Scammony with Calomel*	gr. 8—gr. 16
—— sennæ compositus	*Compound Powder of Senna*	scr. 1—scr. 2.
—— tragacanthæ compositus.....	*Compound Powder of Tragacanth*	scr. 1—dr. 1.
Pyrethrum	*Pellitory of Spain* ..	gr. 1—gr. 6.

Q

Quassia	*Quassy Wood*	gr. 5—scr. 1.
Quercus.....	*Oak Bark*	gr. 6—scr. 1.

R

Raphanus rusticanus	*Horse-radish*	scr. 1—dr. 1.
Rheum	*Rhubarb*	gr. 15—scr. 2.
Ruta	*Rue*	gr. 15—scr. 1.

S

Sal ammoniacus ..	*Sal Ammoniac*	gr. 8—scr. 1.
— cornu cervi	*Salt of Hartshorn* ..	gr. 10—scr. 1.
—— succini purificatus	*Purified Salt of Amber*	gr. 5—gr. 15.
Sapo	*Soap*	scr 1½—dr. 4.
Sarsaparilla	.....	scr. 1—scr.1½.
Sassafras	.....	scr. 1—dr. 1.
Scammonium	*Scammony*	gr. 5—scr. 1.
Scilla exsiccata	*Dried Squills*	gr. 1—gr. 3.
—— recens	*Fresh Squills*	gr. 5—gr. 10.
Scordium	*Water-germander* ..	scr. 1—dr. 1.
Seneka	.....	scr. 1—scr. 2.
Senna	.....	scr. 1—dr. 1.
Serpentaria	.....	gr. 10—scr. 2.
Simarouba.....	*Simarouba Bark*....	gr. 10—scr.1½.

		DOSES.
Sinapi	*Mustard-seed*	dr. 1—dr. 3.
Spermaceti	.....	scr. 1—dr. 1.
Spigelia	*Indian Pink*	gr. 10—scr. 1.
Spina cervinæ	*Buckthorn*	scr. 1½—dr. 2.
Spiritus ætheris vitriolici	*Vitriolic Spirit of Æther*	gtt. 20—gtt. 60.
——— vitriolici compositus	*Compound Spirit of vitriolic Æther* ..	gtt. 20—gtt. 60.
——— nitrosi	*Nitrous Spirit of Æther*	gtt. 20—gtt. 60.
——— ammoniæ ..	*Spirit of Ammonia* ..	scr 1—scr. 2.
——— compositus	*Compound Spirit of Ammonia*	scr. 1½—dr. 1.
——— fœtidus	*Fœtid Spirit of Ammonia*	scr. 1—scr. 2.
——— succinatus	*Succinated Spirit of Ammonia*	gr. 10—scr. 1.
——— anisi compositus	*Compound Spirit of Aniseed*	dr. 1—dr. 4.
——— carui	*Spirit of Carraway* ..	dr. 1—dr. 4.
——— cinnamomi	*Spirit of Cinnamon* ..	dr. 1—dr. 4.
——— juniperi compositus	*Compound Spirit of Juniper*	dr. 1—dr. 4.
——— lavendulæ ..	*Spirit of Lavender* ..	dr. 1—dr. 4.
——— compositus	*Compound Spirit of Lavender*	scr. 1½—dr. 2.
——— menthæ piperitidis.....	*Spirit of Peppermint*	dr. 1—dr. 3.
——— sativæ	*Spirit of Spearmint* ..	dr. 1—dr. 4.
——— nucis moschatæ.....	*Spirit of Nutmeg* ..	dr. 1—dr. 4.
——— pimento	*Spirit of Pimento* ..	dr. 1—dr. 3.
——— pulegii ..	*Spirit of Pennyroyal*	dr. 1—dr. 3.
——— raphani compositus	*Compound Spirit of Horse-radish*	dr. 1—dr. 3.
Spongia usta	*Burnt Sponge*	scr. 1—dr. 1.
Stanni pulvis.....	*Powder of Tin*	dr. 1—dr. 6.
Styrax	*Storax*	gr. 10—scr. 1.

		DOSES.
Succinum præparatum	*Prepared Amber*	scr. 1½—dr. 1.
Succus aconiti spissatus	*Inspissated Juice of Henbane*	gr. 1—gr. 4.
—— baccæ sambuci spissatus	*Inspissated Juice of Elderberry*	un. ½—un. 2.
—— cicutæ spissatus	*Inspissated Juice of Hemlock*	gr. 2—gr. 10.
—— cochleariæ compositus	*Compound Juice of Scurvy-grass*	un. 2—un. 6.
—— ribis nigri	*Inspissated Juice of Black Currant*	un. ½—un. 2.
Sulphur antimonii præcipitatum	*Precipitated Sulphur of Antimony*	gr. 2—gr. 5.
—— præcipitatum	*Precipitated Sulphur*	dr. 1—dr. 2.
Syrupus altheæ	*Syrup of Marsh-mallow*	dr. 1—dr. 2.
—— papaveris albi	*Syrup of White Poppies*	dr. 4—un. 1.
—— erratici	*Syrup of wild Poppy*	dr. 2—dr. 4.
—— rosæ	*Syrup of Rose*	dr. 1—dr. 2.
—— spinæ cervinæ	*Syrup of Buckthorn*	dr. 1—dr. 2.
—— violæ	*Syrup of Violets*	dr. 1—dr. 2.
—— zingiberis	*Syrup of Ginger*	dr. 1—dr. 2.

T

Tanacetum	*Tan*	scr. 1½—dr. 1.
Tartari crystalli	*Crystals of Tartar*	dr. 4—un. 1.
Tinctura aloës	*Tincture of Aloes*	dr. 4—un. 1.
—— composita	*Compound Tincture of Aloes*	scr. 1½—dr. 2.
—— asæfœtidæ	*Tincture of Asafœtida*	scr. 1—dr. 2.
—— balsami peruviani	*Tincture of Balsam of Peru*	scr. 1½—dr. 2.

		DOSES.
Tinctura balsami tolutani	*Tincture of Balsam of Tolu*	scr. $1\frac{1}{2}$—dr. 2.
—— benzoës composita	*Compound Tincture of Benjamin*	dr. 1—dr. 2.
—— cantharidis	*Tincture of the Spanish Fly*	gr. 10—dr. 1.
—— cardamomi	*Tincture of Cardamom*	dr. 1—dr. 3.
—— composita	*Compound Tincture of Cardamom*	dr. 1—dr. 3.
—— cascarillæ	*Tincture of Cascarilla*	dr. 1—dr. 4.
—— castorei	*Tincture of Castor*	scr. 1—dr. $1\frac{1}{2}$.
—— catechu	*Tincture of Catechu*	dr. 2—dr. 3.
—— cinchonæ	*Tincture of Bark*	dr. 1—dr. 4.
—— composita	*Compound Tincture of Bark*	dr. 2—dr. 4.
—— ammoniata	*Ammoniated Tincture of Bark*	scr. $1\frac{1}{2}$—dr. 2.
—— cinnamomi	*Tincture of Cinnamon*	dr. 1—dr. 3.
—— composita	*Compound Tincture of Cinnamon*	dr. 1—dr. 3.
—— colombæ	*Tincture of Colomba*	dr. 1—dr. 3.
—— ferri ammoniacalis	*Tincture of Ammoniacal Iron*	scr. 1—dr. 2.
—— ferri muriati	*Tincture of Muriated Iron*	gtt. 10—gtt. 60.
—— galbani	*Tincture of Galbanum*	dr. 1—dr. 3.
—— gentianæ composita	*Compound Tincture of Gentian*	dr. 2—dr. 3.
—— guaiaci ammoniata	*Ammoniated Tincture of Guaiacum*	dr. 1—dr. 4.
—— helebori nigri	*Tincture of Black Hellebore*	scr. 1—dr. 1.
—— jalapii	*Tincture of Jalap*	dr. 1—dr. 3.
—— myrrhæ	*Tincture of Myrrh*	dr. 1—dr. 2.

		DOSES.
Tinctura opii.....	*Tincture of Opium* ..	gtt.20—gtt.25.
——— camphorata	*Camphorated Tincture of Opium*....	gtt.30—gtt.60.
——— rhabarbari	*Tincture of Rhubarb*	dr. 4—un. 2.
——— ——— composita	*Compound Tincture of Rhubarb*.....	dr. 4—un. 2.
——— Sabinæ composita.....	*Compound Tincture of Sarin*	gtt.20—gtt.40.
——— scillæ.....	*Tincture of Squills* ..	gtt 20—gtt.60.
——— sennæ	*Tincture of Senna* ..	dr. 2—un. 1.
——— serpentariæ	*Tincture of Serpentaria*	dr. 1—dr. 2.
——— valerianæ ..	*Tincture of Valerian*	dr. 1—dr. 3.
——— ——— ammoniata	*Ammoniated Tincture of Valerian*.....	scr. 1—dr. 2.
——— zingiberis ..	*Tincture of Ginger*..	dr. 1—dr. 2.
Tormentilla	*Tormentil Root*	gr. 10—scr. 2.
Tragacantha	*Tragacanth*	gr. 10—dr. 1.

V

Valeriana	*Valerian*.....	scr. 1—dr. 2.
Vinum aloes.....	*Wine of Aloes*.....	dr. 6—un. 1.
——— antimonii..	*Antimonial Wine* ..	gtt.20—gtt.50.
——— ——— tartarisati	*Wine of Tartarised Antimony*	gtt.20—gtt.50.
——— ferri	*Wine of Iron*	dr. 1—dr. 4.
——— ipecacuanhæ	*Ipecacuanha Wine* ..	dr. 1—dr. 4.
——— rhabarbari..	*Wine of Rhubarb* ..	dr. 4—un. 2.
Uva ursi.....	*Bear's Whortleberry*	scr. 8—dr. 1.

Z

Zincum calcinatum	*Calcined Zinc*.....	gr. 3—gr. 10.
——— vitriolatum purificatum	*Purified Vitriolated Zinc*	gr. 5—scr. 1.

INDEX

NOMINUM MUTATORUM.

FORMER NAMES.	NEW NAMES.
A	
Acetum scilliticum.	Acetum scillæ.
Æthiops mineralis.	Hydrargyrus cum sulphure.
Aqua aluminosa bateana.	Aqua aluminis composita.
—— *calcis simplex.*	—— calcis.
—— *cinnamomi simplex.*	—— cinnamomi.
—————— *spirituosa.*	Spiritus cinnamomi.
—— *hordeata.*	Decoctum hordei.
—— *juniperi composita.*	Spiritus juniperi compositus.
—— *menthæ piperitidis simplex.*	Aqua menthæ piperitidis.
———————— *spirituosa.*	Spiritus menthæ piperitidis.
—————— *vulgaris simplex.*	Aqua menthæ sativæ.
———————— *spirituosa.*	Spiritus menthæ sativæ.
—— *nucis moschatæ.*	—— nucis moschatæ.
—— *piperis jamaicensis.*	Aqua pimento.
—— *pulegii simplex.*	—— pulegii.
———————— *spirituosa.*	Spiritus pulegii.
—— *raphani composita.*	———— raphani compositus.
—— *rosarum damascenarum.*	Aqua rosæ.
—— *sapphirina.*	—— cupri ammoniati.
—— *seminum anethi.*	—— anethi.
———————— *anisi composita.*	Spiritus anisi compositus.
———————— *carui.*	---------- carui.
Aqua vitriolica camphorata.	Aqua zinci vitriolati cum camphora.

FORMER NAMES.	NEW NAMES.
B	
Balsamum sulphuris barbadens.	Petroleum sulphuratum.
——— *simplex.*	Oleum sulphuratum.
——— *traumaticum.*	Tinctura benzöes composita.
C	
Calx antimonii.	Antimonium calcinatum.
Causticum antimoniale.	——— muriatum.
——— *commune fortius.*	Calx cum kali puro.
——— *lunare.*	Argentum nitratum.
Ceratum album.	Ceratum spermatis ceti.
——— *citrinum.*	——— resinæ flavæ.
——— *epuloticum.*	——— lapidis calaminaris.
Chalybis rubigo præparata.	Ferri rubigo.
Cinnabaris factitia.	Hydrargyrus sulphuratus ruber.
Confectio cardiaca.	Confectio aromatica.
D	
Decoctum album.	Decoctum cornu cervi.
—— *commune pro clystere.*	——— pro enemate.
—— *pectorale.*	——— hordeicompositum
E	
Electuarium lenitivum.	Electuarium e sennâ.
Elixir aloes.	Tinctura aloës composita.
—— *myrrhæ compositum.*	——— sabinæ composita.
—— *paregoricum.*	——— opii camphorata.
Emplastrum ex ammoniaco cum mercurio.	Emplastrum ammoniaci cum hydrargyro.
——— *attrahens.*	——— ceræ.
——— *cephalicum.*	——— picis burgundicæ.
——— *commune.*	——— lithargyri.
——— *adhæsivum.*	——— cum resina.

FORMER NAMES.	NEW NAMES.
Emplastrum commune cum gummi	Emplastrum lithargyri cum gummi
——— *cum mercurio.*	——— cum hydrargyro.
——— *e cymino.*	——— cumini.
——— *roborans.*	——— thuris.
——— *e sapone.*	——— saponis.
——— *stomachicum.*	——— ladani.
——— *vesicatorium.*	——— cantharidis.
Emulsio communis.	Lac amygdalæ.
Extractum catharticum.	Extractum e colocynthide compositum.
——— *thebäicum.*	Opium purificatum.
	F
Flores benzoini.	Flores benzoës.
—— *martiales.*	Ferrum ammoniacale.
Fotus communis.	Decoctum pro fomento.
	H
Hiera picra.	Pulvis aloëticus.
	I
Infusum amarum simplex.	Infusum gentianæ compositum.
——— *sennæ commune.*	——— sennæ tartarisatum.
Julepum e camphorâ.	Mistura camphorata.
——— *e cretâ*	——— cretacea.
——— *e moscho.*	——— moschata.
	L
Linimentum album.	Unguentum spermatis ceti.
——— *saponaceum.*	Linimentum saponis.
——— *volatile.*	——— ammoniæ.
Lixivium saponarium.	Aqua kali puri.
——— *tartari.*	—— kali.

FORMER NAMES.	NEW NAMES.
M	
Mel Ægyptiacum.	Oxymel æruginis.
—— *rosaceum.*	Mel rosæ.
Mercurius calcinatus.	Hydrargyrus calcinatus.
———— *corrosivus sublimatus.*	———— muriatus.
———— *ruber.*	———— nitratus ruber.
———— *dulcis sublimatus.*	Calomelas.
———— *emeticus flavus.*	Hydrargyrus vitriolatus.
———— *præcipitatus albus.*	Calx hydrargyri alba.
N	
Nitrum vitriolatum.	Kali vitriolatum.
O	
Oleum petrolei barbadensis.	Oleum petrolei.
—— *terebinthinæ æthereum.*	———— terebinthinæ rectificatum.
Opium colatum.	Opium purificatum.
Oxymel scilliticum.	Oxymel scillæ.
P	
Philonium Londinense.	Confectio opiata.
Pilulæ aromaticæ.	Pulvis aloëticus cum guaiaco.
—— *ruſi.*	Pilulæ ex aloë cum myrrhâ.
Pulvis e bolo compositus.	Pulvis e creta compositus.
———— *cum opio.*	———— cum opio.
—— *e cerussa compositus.*	-------- e cerussa.
—— *sternutatorius.*	-------- asari compositus.
R	
Rob baccarum sambuci.	Succus baccæ sambuci spissatus.

FORMER NAMES.	NEW NAMES.
S	
Saccharum saturni.	Cerussa acetata.
Sal absinthii.	Kali præparatum.
— *cathartícus glauberi.*	Natron vitriolatum.
— *diureticus.*	Kali acetatum.
— *martis.*	Ferrum vitriolatum.
— *tartari.*	Kali præparatum.
— *vitrioli.*	Zincum vitriolatum.
— *volatilis salis ammoniaci.*	Ammonia præparata.
Species aromaticæ.	Pulvis aromaticus.
Spiritus cornu cervi.	Liquor volatilis cornu cervi.
——— *lavendulæ compositus.*	Tinctura lavendulæ composita.
——————— *simplex.*	Spiritus lavendulæ.
——— *nitri dulcis.*	——— ætheris nitrosi.
——————— *glauberi.*	Acidum nitrosum.
——— *salis ammoniaci.*	Aqua ammoniæ.
——————— *dulcis.*	Spiritus ammoniæ.
——————— *marini glauberi.*	Acidum muriaticum.
——— *vinosus camphoratus.*	Spiritus camphoratus.
——— *vitrioli dulcis.*	——— ætheris vitrioli.
——— *volatilis aromaticus.*	———ammoniæ compositus
——————— *fœtidus.*	——————— fœtidus.
Succi scorbutici.	Succus cochleariæ compositus.
Syrupus ex althæâ.	Syrupus althææ.
——— *e corticibus aurantiorum.*	——— corticis aurantii.
——— *balsamicus.*	——— tolutanus.
——— *e meconio.*	——— papaveris albi.
——— *rosarum solutivus.*	——— rosæ.
T	
Tabellæ cardialgicæ.	Trochisci e creta.
Tartarum emeticum.	Antimonium tartarisatum.
——————— *solubile.*	Kali tartarisatum.
——————— *vitriolatum.*	——vitriolatum.

FORMER NAMES.	NEW NAMES.
Tinctura amara.	Tinctura gentianæ composita
——— *aromatica.*	——— cinnamomi composita.
——— *fœtida.*	——— asafœtidæ.
——— *guaiacina volatilis.*	——— guaiaci.
——— *japonica.*	——— catechu.
——— *martis in spiritu salis.*	——— ferri muriati.
——— *melampodii.*	——— hellebori nigri.
——— *rhabarbari spirituosa.*	——— rhabarbari.
——— *vinosa.*	Vinum rhabarbari.
——— *rosarum.*	Infusum rosæ.
——— *sacra*	Vinum aloës.
——— *stomachica.*	Tinctura cardamomi composita.
Trochisci bechici albi.	Trochisci ex amylo
——— *nigri*	——— e glycyrrhiza.

V

Vinum antimoniale.	Vinum antimonii.
——— *chalybeatum.*	——— ferri.
Unguentum album.	Unguentum ceræ.
——— *basilicum flavum.*	——— resinæ flavæ.
——— *cæruleum fortius.*	——— hydrargyri fortius.
——— *mitius.*	——— mitius.
——— *e mercurio præcipitato*	——— calcis hydrargyri albæ.
——— *saturninum.*	——— cerussæ acetatæ.
——— *simplex.*	——— adipis suillæ.

FINIS.

Printed by C. Squire,
Furnival's-Inn-Court, Holborn.